

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>7</sup> : A01N 63/00, 63/02, C12N 15/31, C12P 21/00, C07K 14/24 // (C12P 21/00, C12R 1:01)		A1	(11) International Publication Number: <b>WO 00/42855</b> (43) International Publication Date: 27 July 2000 (27.07.00)
(21) International Application Number: PCT/GB00/00219 (22) International Filing Date: 24 January 2000 (24.01.00) (30) Priority Data: 9901499.5 22 January 1999 (22.01.99) GB (71) Applicant (for all designated States except US): HORTICULTURE RESEARCH INTERNATIONAL [GB/GB]; Wellesbourne, Warwick, Warwickshire CV35 9EF (GB). (72) Inventors; and (75) Inventors/Applicants (for US only): MORGAN, James, Alun, Wynne [GB/GB]; Horticulture Research International, Wellesbourne, Warwick, Warwickshire CV35 9EF (GB). JARRETT, Paul [GB/GB]; Horticulture Research International, Wellesbourne, Warwick, Warwickshire CV35 9EF (GB). ELLIS, Debbie [GB/GB]; Horticulture Research International, Wellesbourne, Warwick, Warwickshire CV35 9EF (GB). OUSLEY, Margaret, Anne [GB/GB]; Horticulture Research International, Wellesbourne, Warwick, Warwickshire CV35 9EF (GB). (74) Agent: RUFFLES, Graham, Keith; Marks & Clerk, 57-60 Lincoln's Inn Fields, London WC2A 3LS (GB).			(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments. With an indication in relation to deposited biological material furnished under Rule 13bis separately from the description.

(54) Title: BIOLOGICAL CONTROL OF NEMATODES

(57) Abstract

Nematodes can be controlled through the use of bacteria associated symbiotically with an entomopathogenic nematode. The bacteria can be employed for nematode control, or engineered to a recombinant form. Control may be achieved using material such as a peptide. The peptide can be obtained from a natural or engineered nucleic acid.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## BIOLOGICAL CONTROL OF NEMATODES

## TECHNICAL FIELD

The present invention relates to methods and materials for controlling nematodes.

## PRIOR ART

Several thousand species of nematodes, sometimes called eel worms, are known. Numerous nematodes attack and parasitize humans and animals and cause disease. Additionally, several hundred species are known to feed on living plants. Certain of these are reviewed by Agrios in "Plant Pathology - 3rd Ed" Pub Academic Press Inc, see Chapter 15 therein.

Methods of controlling nematodes and their associated diseases include cultural practices; biological methods, e.g. use of resistant varieties; physical methods, e.g. heat; and use of chemical agents.

Patent application WO 92/19739 (Mycogen) relates to genes and gene fragments from *Bacillus thuringiensis* which have nematocidal activity. These generally encode crystal toxins from particular strains.

Patent application EP 0 303 426 (Mycogen) also relates to strains of *B. thuringiensis* which have nematocidal activity.

Patent application EP 0 171 381 (Monsanto) relates to particular soil bacteria which are capable of proliferating in an environment which is infested with

nematodes such as pseudomonads which colonise the surface of plant roots. The basis for the controlling activity appears to stem from glycosidase enzymes which are hypothesised to directly inhibit the nematodes.

Notwithstanding these disclosures, there is an ongoing requirement for materials which have nematocidal activity, for instance for use in crop protection or nematode-mediated disease control.

Patent application PCT/WO 99/22598 (University of Reading) published 14 May 1999 claims a biopesticide for the control of insect pests or plant parasitic nematodes or both, which comprises as an effective agent a species of bacteria which is a symbiont of an entomopathogenic nematode.

#### DISCLOSURE OF THE INVENTION

The present inventors have established that species of bacteria which in nature are associated symbiotically with entomopathogenic nematodes, can in fact be utilised to control nematodes, and in preferred forms of the invention, to kill them. The bacteria themselves can be employed, or nematode control agents can be used which are derived from such bacteria. In one aspect of the invention, the present invention employs bacteria which are engineered and thus not naturally occurring, or nematode control agents which are derived from natural or non-natural bacteria.

It has been reported that certain bacterial species such as *Xenorhabdus* and *Photorhabdus* can be used to control insects, see e.g. PCT/WO 98/08388 of MAFF, PCT/WO 97/17432 of WARF, and PCT/WO 99/42589 of Novartis. An effect against nematodes had not previously been demonstrated.

The symbiotic bacteria used in the present invention are isolatable from nematodes or the insects which the nematodes attack, and differ fundamentally in terms of life-style and activity from those soil bacteria such as *B. thuringiensis* or pseudomonads which have previously been suggested as being nematocidal.

Indeed, *prima facie*, it seems highly unlikely that nematode symbiotes might possess nematocidal activity. However, in the light of the present disclosure, a number of possible explanations for the observed activity can be tentatively proposed. Firstly, in order to protect a nutrient supply from a dead insect, the bacteria might produce anti-nematocides to prevent saprophytic nematodes gaining access. Alternatively, to become a symbiont, the bacterial strains may have once been pathogens of these nematodes and evolved towards a less hostile symbiotic relationship. The nematocidal activity may be an evolutionary throwback from the original pathogenic relationship, in which case it may be expected to be widely present amongst bacteria which have evolved in this way.

A first aspect of the present invention is the use of bacterial strains to control a target nematode, characterised in that in nature the bacterial strain is associated symbiotically with an entomopathogenic nematode.

As discussed in more detail below, the bacterial strains may be used in the methods of the present invention *per se*, or they may be used as a source of nematode control agent. The nematode control agent can be derived directly, or be prepared and utilised through recombinant DNA techniques, optionally via a host cell.

The target nematode will generally be different to the nematode with which the bacterial strain is found symbiotically in nature.

By means of the present invention employing bacteria or a nematode control agent, it becomes possible to control nematodes, in the sense of, to prevent or retard the effect that the nematode has on other organisms such as animals or more preferably plants, or to reduce the number of nematodes or nematode eggs in an area of interest, or to alleviate or cure a disease caused by nematodes. Control may be at the level of larval nematodes or nematode eggs, or may inhibit the motion, feeding or infectivity of adult nematodes. Nematocidal control may be employed to kill the nematode target. Such controlling activity can be assessed as shown in the Examples below.

#### PREFERRED EMBODIMENTS

The present invention provides a composition for the control of parasitic nematodes which comprises as an effective agent a species of bacteria which is a symbiont of an entomopathogenic nematode, or engineered bacteria having such activity, or a nematode control agent derived from natural or engineered bacteria.

Correspondingly, the present invention also provides a method of nematode control employing such a composition.

The bacterial species is typically of the genera *Xenorhabdus* or *Photorhabdus*, preferably the genus *Xenorhabdus*, for instance the species *Xenorhabdus bovienii*. Examples of particularly preferred bacteria include:

*Xenorhabdus bovienii* strain H31 deposited with NCIMB under accession number NCIMB 40985 on 20 January 1999;

*Xenorhabdus bovienii* strain I73 deposited with NCIMB under accession number NCIMB 40986 on 05 November 1998; and

*Xenorhabdus* strain C42 deposited with NCIMB under accession number NCIMB 41004 on 05 November 1998.

The nematode control agent can be a peptide derived from a symbiont of an entomopathogenic nematode or an engineered bacterium has functional activity against a nematode. The peptide nematode control agent can be produced from a nucleic acid derived from a symbiont of an entomopath nematode or an engineered bacterium and which encodes such a peptide. The peptide can be an oligopeptide or a polypeptide, notably a protein. In one version, the nematode control agent is a toxin with toxic activity against nematodes, but the nematode control agent can have other activity.

The nucleic acids of this invention can be employed in a method of producing a peptide comprising the step of causing or allowing the expression from a nucleic acid of this invention in a suitable host cell.

The nucleic acid can comprise a natural nucleotide sequence or a degeneratively equivalent sequence, and functional variants thereof. Variants include homologous variants encoding a peptide which is a nematode control agent, the nucleic acid having 70% or more DNA sequence identity and/or the peptide having 70% or more amino acid sequence identity. Especially preferred nucleic acids in p 13-1f and p 14-2f and variants thereof.

The present invention extends to nucleic acids having a sequence which is a derivative by way of addition, insertion, deletion or substitution of one or more nucleotides. The nucleic acid can contain longer expressed sequences such that the nematode control agent is expressed as a fusion protein.

Nucleic acids complementary to the nucleic acid encoding a nematode

control agent are also part of this invention.

Nucleic acids for use as a probe or primer having a nucleotide sequence of at least 15, 18, 21, 24 or 30 nucleotides, which sequence is present in, or complementary to, the nucleic acid encoding nematode control agent are further provided by this invention. In this respect, the invention extends to a method for identifying or cloning a nucleic acid for nematode control agent which method employs such a nucleic acid probe.

A method provided by this invention comprises the steps of:

- (a) providing a preparation of nucleic acid from a bacterium,
- (b) providing a probe,
- (c) contacting nucleic acid in said preparation with said probe under conditions for hybridisation of probe to any said gene or homologue in said preparation, and,
- (d) identifying said gene or homologue if present by its hybridisation with said probe.

The hybridisation conditions can be selected to allow the identification of sequences having 70% or more sequence identity with the probe.

In one embodiment, the method comprises use of two primers to amplify a nucleic acid encoding a nematode control agent, at least one of the primers having a conserved nucleotide sequence of at least 15 nucleotides.

A method is further made possible by this invention comprising the steps of:

- (a) providing a preparation of nucleic acid from a bacterium,
- (b) providing a pair of nucleic acid molecule primers, at least one of which is a primer,
- (c) contacting nucleic acid in said preparation with said primers under



conditions for performance of PCR,

(d) performing PCR and determining the presence of absence of an amplified PCR product.

Additionally, the invention provides a recombinant vector comprising a nucleic acid of this invention. The vector is preferably capable of replicating in a suitable host such as *E. coli* or in *Xenorhabdus*. The vector can be a baculovirus. In a preferred feature, the nucleic acid is operably linked to a promoter or other regulatory element for transcription in a host cell.

Vectors can further comprise any one or more of the following: a terminator sequence; a polyadenylation sequence; an enhancer sequence; a marker gene; a sequence encoding pesticidal material derived from *Bacillus thuringiensis*.

The vector can be a plant vector.

The vector of this invention can be introduced into a cell. Thus, a method for transforming a plant cell comprises the step of causing or allowing recombination between the vector and the plant cell genome to introduce the nucleic acid into the genome. The nucleic acid can be incorporated into chloroplast DNA, or into mitochondrial DNA.

Host cells comprising a vector are also part of this invention. The host cell can be a plant cell, which may be in a plant.

To this end, a method for producing a transgenic plant comprises the step of regenerating a plant from the transformed cell. In turn, plants of this invention extend to the progeny of such plants.

Examples of plants of this invention include crop species which can be

protected, notably maize, cotton, soya, rice, *Brassica* species, tomato, potato, sugar beet, barley, soybean, peanut, onion, rye, wheat, corn, banana, raspberry, bean. Decorative and other plants are also possible, e.g. rose.

A part of the propagule of the plants is also envisaged by this invention.

A method of influencing or affecting the toxicity of a cell such as a plant cell is provided where the method includes causing or allowing expression of a heterologous nucleic acid of this invention within the cells.

In a further aspect, the invention involves the use of a material selected from: an *X. bovienii* strain, a nematode control agent; a nucleic acid; a host cell; a plant; a peptide; or a composition of the invention, for the control of a pest, especially where the pest is a nematode and the material is used to control the nematode.

The present invention extends to control of helminthiasis in humans and other animals including domesticated animals such as swine, sheep, horses, cattle, goats, dogs, cats and poultry. The nematodes to be controlled include *Haemonchus*, *Trichostrongylus*, *Ostertagia*, *Nematodirus*, *Cooperia*, *Ascaris*, *Bunostomum*, *Oesophagostomum*, *Chabertia*, *Trichuris*, *Strongylus*, *Trichonema*, *Dictyocaulus*, *Capillaria*, *Heterakis*, *Toxocara*, *Ascaridia*, *Oxyuris*, *Ancylostoma*, *Uncinaria*, *Toxascaris*, *Caenorhabditis* and *Parascaris*.

Target nematodes may be selected from the genera *Aphelenchoides*, *Anguina*, *Bursaphelenchus*, *Cricconemella*, *Meloidigyne*, *Ditylenchus*, *Globodera*, *Heliocotylenchus*, *Heterodera*, *Pratylenchus*, *Radopholus*, *Rotelynchus*, *Tylenchus*, *Trichodorus*, *Xiphenema*, and *Caenorhabditis*.

The compositions of this invention can be used in conjunction with *Bacillus*

*thuringiensis* or pesticidal materials derived therefrom.

In a further aspect, there is provided an antibody or fragment thereof, or a polypeptide comprising the antigen-binding domain of the antibody, capable of specifically binding a peptide of this invention.

Such an antibody or fragment can be obtained by immunising a mammal with the peptide, and is useful in a method of identifying and/or isolating a nematode control agent comprising the step of screening candidate polypeptides with a polypeptide comprising the antigen-binding domain of the antibody of claim.

Some further aspects of preferred embodiments of the invention will now be discussed.

#### Bacterial strains

These can be derived from any entomopathogenic nematode. Preferred species are *Xenorhabdus* and *Photorhabdus*.

Potential sources of bacteria for use in the methods of the present invention may be identified by any preferred method. For instance, entomopathogenic nematodes can be isolated using an insect baiting technique such as that described by Bedding & Akhurst (1975) *Nematologia* 21: 215-227. Bacteria from nematodes identified as being pathogenic to the insect are isolated, cultured, and used as a source of nematocidal agent, e.g. by analogy with the methods used in the Examples below. Preferably *Xenorhabdus* or *Photorhabdus* species are used.

The preferred bacterial strains include ones which have the characteristics of

strain C42, I73 or H31 isolated by the present inventors. This *Xenorhabdus* strain has the following characteristics: rod shaped; motile; non-bio luminescent; blue on NBTA; produces antibiotics; resistant to ampicillin; forms circular colonies; has convex morphology; white colour.

This strain was presumptively identified as belonging to the genera *Xenorhabdus* since it was isolated from an insect killed by an entomopathogenic nematode and had the above characteristics. The strain has been deposited at the NCIMB (23 St Machar Drive, Aberdeen, AB24 3RY, Scotland) by the applicants under accession number NCIMB 41004 on 20 January 1999.

Further preferred strains of the present invention are two strains of *X. bovienii* designated H31 and I73 which have also been deposited under the terms of the Budapest Treaty at the NCIMB under the accession numbers NCIMB 40985 and 40986 respectively. These share characteristics of C42 in that they are rod-shaped; motile; non-bioluminescent; blue on NBTA; produce antibiotics; resistant to ampicillin; form circular colonies; and have convex morphology. The strains were identified as belonging to the species *X. bovienii* when compared to the *X. bovienii* type strain T228 using Restriction Analysis of the complete 16S rRNA gene and partial sequence analysis.

#### Target nematodes and diseases

The group of diseases described generally as helminthiasis is due to infection of an human or other animal host with parasitic worms known as helminths. Helminthiasis is a prevalent and serious economic problem in domesticated animals such as swine, sheep, horses, cattle, goats, dogs, cats and poultry. Among the helminths, the group of worms described as nematodes causes

widespread and often at times serious infection in various species of animals. The most common genera of nematodes infecting the animals referred to above are *Haemonchus*, *Trichostrongylus*, *Ostertagia*, *Nematodirus*, *Cooperia*, *Ascaris*, *Bunostomum*, *Oesophagostomum*, *Chabertia*, *Trichuris*, *Strongylus*, *Trichonema*, *Dictyocaulus*, *Capillaria*, *Heterakis*, *Toxocara*, *Ascaridia*, *Oxyuris*, *Ancylostoma*, *Uncinaria*, *Toxascaris*, *Caenorhabditis* and *Parascaris*. Certain of these, such as *Nematodirus*, *Cooperia*, and *Oesophagostomum*, attack primarily the intestinal tract, while others, such as *Dictyocaulus* are found in the lungs. Still other parasites may be located in other tissues and organs of the body.

The bacteria and encoded toxins of the invention may be used as nematocides for the control of the nematodes and diseases discussed above. More preferably, however, they are used to control soil and plant parasitic nematodes. Particular crop species which can be protected include tomatoes, potatoes, sugar beet, barley, soybean, peanut, onion, rye, wheat, corn, banana, raspberry, beans. Decorative and other plants may also be treated e.g. rose.

Target nematodes may be selected from the genera *Aphelenchoides*, *Anguina*, *Bursaphelenchus*, *Crictonemella*, *Meloidogyne*, *Ditylenchus*, *Globodera*, *Helicotylenchus*, *Heterodera*, *Pratylenchus*, *Radopholus*, *Rotelynchus*, *Tylenchus*, *Trichodorus*, *Xiphenema*. A further organism used in certain of the Examples below is *Caenorhabditis elegans*. Other target organisms and plants are discussed by Agrios in "Plant Pathology - 3rd Ed" Pub Academic Press Inc, see Chapter 15 therein.

As stated above, the target nematode will generally be different to that with which the bacterial strain is found in nature.

### Methods of use of bacteria

The bacteria may be used in any appropriate method which brings them into contact with the target nematode, preferably such that they, or their products, are ingested or absorbed by the target nematode.

In particular, regarding plants, the bacteria may be formulated in a variety of ways so as to enhance stability. For instance they may be employed in admixture with substrates to protect the cells.

The mixture can be spread over, ploughed into or otherwise mixed with nematode infected or potentially infected soil.

Regarding animals, bacteria intended for enteric inoculation can be mixed with carrier material that is suitable for ingestion by the intended animals.

### Isolation of agent

Nematode control agents of the present invention, which may be proteinaceous, or nucleic acids encoding them, may be isolated and/or purified from the C42, I73 or H31 bacteria described above, in substantially pure or homogeneous form, or free or substantially free of other materials from the bacterial strain of origin. Where used herein, the term "isolated" encompasses all of these possibilities.

Methods of purifying proteins from heterogenous mixtures are well known in the art, e.g. selective precipitation, proteolysis, ultrafiltration with known molecular weight cut-off filters, ion-exchange chromatography, gel filtration, etc. A particularly useful initial technique in this regard is ultracentrifugation. Further methods which are known to be suitable for

protein purification are disclosed in "Methods in Enzymology Vol 182 - Guide to Protein Purification" Ed. M P Deutscher, Pub. Academic Press Inc. Other references which outline techniques commonly used by those of ordinary skill in the art include "Protein Purification - principles and practice" Pub. Springer-Verlag, New York Inc (1982), and by Harris & Angal (1989) "Protein purification methods - a practical approach " Pub. O.U.P. UK.

Nematocidal activity may be assessed using a spread assay as discussed below.

The C42, I73 or H31 agent may be wholly or partially synthetic. In particular they may be recombinantly produced from nucleic acid sequences which are not found together in nature (do not run contiguously) but which have been ligated or otherwise combined artificially.

For instance, in the Examples below, nucleic acid encoding toxin(s) from I73 has been expressed in hosts cells using a vector system. Amino acid sequences of 38 different putative I73 toxin(s) are set out in sequence Annex I. These sequences are based on the nucleic acid sequence set out in Fig 2 ('chrim5'), a cosmid clone derived from I73 genomic DNA which conferred nematocidal activity upon *E. coli* cells into which it was introduced (i.e. significantly reduced nematode larval growth and development, and feeding). As detailed below, the entire amino acid sequence as set out in each case may not be required for nematocidal activity. In particular the portion up to the first Met in each sequence may be omitted, as may other portions which may not contribute to the nematocidal activity. Thus, not all the proteins or genes may be required for nematocidal activity, and usually there will be one or more principal proteins, though others may play supporting roles such as in enhancing the activity or encoding other nematocidal activities.

Thus isolated nematocidal agents comprising a polypeptide containing all, or a nematocidal fragment, of any of the depicted I73 sequences, form one aspect of the present invention. Preferred agents include those encoded by p14-2f and p13-1f. Other active variants of these sequences are also encompassed as described below.

Candidate agents for use in this invention to control nematodes extend to those from the bacteria described in PCT/WO 99/22598, as well as the insecticidal toxins and bacteria of PCT/WO 99/42589, PCT/WO 98/08388 and PCT/WO 97/17432, the disclosures of which are incorporated by reference.

#### Nucleic acids and variants

In one aspect of the present invention there is provided a nucleic acid molecule encoding a nematode control agent of the present invention, for example a toxin, as described above.

The nucleic acid may be derived from the sequence shown in Fig 2 or the complement (or degenerate equivalent) thereof. This sequence (cHRIM5) was itself derived from I73 and identified by its unexpected nematocidal activity. Regions of this sequence believed to correspond to genes of the present invention are described in Fig 3. Isolated nucleic acids comprising one or more of these regions which encode a nematocidal activity are particularly preferred.

In the light of the present disclosure, further nucleic acids of the present invention may be isolated using PCR or southern blotting or other techniques well known to those skilled in the art. This requires the use of two primers to specifically amplify target nucleic acid, so preferably two



nucleic acid molecules with sequences characteristic of the C42, H31 or most preferably an I73 toxin isolated as above are employed. Using RACE PCR, only one such primer may be needed (see "PCR protocols; A Guide to Methods and Applications", Eds. Innis et al, Academic Press, New York, (1990)).

Thus a method involving use of PCR in obtaining nucleic acid according to the present invention may include:

- (a) providing a preparation of bacterial nucleic acid,
- (b) providing a pair of nucleic acid molecule primers suitable for PCR, at least one of said primers being a primer based on a toxin from C42, H31 or I73,
- (c) contacting nucleic acid in said preparation with said primers under conditions for performance of PCR,
- (d) performing PCR and determining the presence or absence of an amplified PCR product. The presence of an amplified PCR product may indicate identification of a variant.

In a further aspect of the present invention there are disclosed nucleic acids which are variants of the C42, I73 or H31 toxin. A variant nucleic acid molecule shares homology (or identity) with all or part of the C42, H31, or most preferably I73 sequence discussed above.

Preferably sequence comparisons are made using FASTA and FASTP (see Pearson & Lipman, 1988. Methods in Enzymology 183: 63-98). Parameters are set, using the default matrix blosum62, as follows:

Gapopen (penalty for the first residue in a gap): -12 for proteins / -16 for DNA

Gapext (penalty for additional residues in a gap): -2 for proteins / -4 for DNA

KTUP word length: 2 for proteins / 6 for DNA.

Homology (similarity or identity) may be at the nucleotide sequence and/or encoded amino acid sequence level. Preferably, the nucleic acid and/or amino acid sequence shares at least about 70%, 75%, 80%, or 85% homology, most preferably at least about 90%, 95%, 96%, 97%, 98% or 99% homology.

Another method for assessing homology at the nucleic acid level is by hybridization screening. One common formula for calculating the stringency conditions required to achieve hybridisation between nucleic acid molecules of a specified sequence homology is shown in Molecular Cloning: a Laboratory Manual: 2nd edition, Sambrook et al, 1989, Cold Spring Harbor Laboratory Press:

$$T_m = 81.5^{\circ}\text{C} + 16.6\text{Log} [\text{Na}^+] + 0.41 (\% \text{ G+C}) - 0.63 (\% \text{ formamide}) - 600/\text{\#bp}$$

in duplex

As an illustration of the above formula, using  $[\text{Na}^+] = [0.368]$  and 50-% formamide, with GC content of 42% and an average probe size of 200 bases, the  $T_m$  is  $57^{\circ}\text{C}$ . The  $T_m$  of a DNA duplex decreases by 1 -  $1.5^{\circ}\text{C}$  with every 1% decrease in homology. Thus, targets with greater than about 75% sequence identity would be observed using a hybridization temperature of  $42^{\circ}\text{C}$ . Such a sequence would be considered substantially homologous to the nucleic acid sequence of the present invention.

Variants of the present invention can be artificial nucleic acids.

Alternatively they may be novel, naturally occurring, nucleic acids, isolatable using the information disclosed herein. Thus a variant may be a distinctive part or fragment (however produced) corresponding to a portion of the C42, I73 or H31 toxin. The fragments may encode particular functional parts of the agent or they may be used for probing for, or amplifying, sequences corresponding to C42, I73 or H31 toxin. Sequence variants which occur naturally may include homologs of the C42, I73 or H31 toxin from other

bacteria, including nematode-symbionts. Artificial variants (derivatives) may be prepared by those skilled in the art, for instance by site directed or random mutagenesis (i.e. nucleotide addition, deletion or substitution, optionally to lead to amino acid addition, deletion or substitution) or by direct synthesis. Preferably the variant nucleic acid is generated either directly or indirectly from an original nucleic acid encoding the C42, I73 or H31 toxin.

Changes may be desirable for a number of reasons, including introducing or removing the following features. Sites which are required for pre- or post-translation modification. Changes for codon usage preferences to enhance gene expression in different organisms. Leader or other targeting sequences (e.g. membrane or golgi locating sequences) may be added to the expressed protein to determine its location following expression. All of these may assist in efficiently cloning and expressing an active polypeptide in recombinant form. Other desirable mutation may be random or site directed mutagenesis in order to alter the activity (e.g. host specificity) or stability of the encoded polypeptide. Changes may be by way of conservative variation, i.e. substitution of one hydrophobic residue such as isoleucine, valine, leucine or methionine for another, or the substitution of one polar residue for another, such as arginine for lysine, glutamic for aspartic acid, or glutamine for asparagine. Also included are active (nematocidal) variants having non-conservative substitutions.

Variant nucleic acids encompass all of these possibilities. When used in the context of polypeptides or proteins they indicate the encoded expression product of the variant nucleic acid i.e. variants of C42, I73 or H31 toxin e.g. variants of the I73 toxin sequences disclosed hereinafter.

Vectors and production of host cells

In one aspect of the present invention, the nucleic acid encoding the nematode control agent is provided in the form of a recombinant and preferably replicable vector.

Generally speaking, those skilled in the art are well able to construct vectors and design protocols for recombinant gene expression. Suitable vectors can be chosen or constructed, containing appropriate regulatory sequences, including promoter sequences, terminator fragments, polyadenylation sequences, enhancer sequences, marker genes and other sequences as appropriate. For further details see, for example, Sambrook et al (1989) *supra*.

The permitted vectors include, *inter alia*, any plasmid, cosmid, phage or *Agrobacterium* binary vector in double or single stranded linear or circular form which may or may not be self transmissible or mobilizable, and which can transform a prokaryotic or eukaryotic host either by integration into the cellular genome or exist extrachromosomally, e.g. an autonomous replicating plasmid with an origin of replication. Illustratively integration can occur into chloroplast DNA or into mitochondrial DNA.

Preferably the nucleic acid in the vector is under the control of, and operably linked to, an appropriate optionally inducible promoter or other regulatory elements for transcription in a host cell such as a microbial, e.g. bacterial, yeast, filamentous fungal or plant cell. The vector may be a bi-functional expression vector which functions in multiple hosts. In the case of genomic DNA, this may contain its own promoter or other regulatory elements and in the case of cDNA this may be under the control of an appropriate promoter or other regulatory elements for expression in the host cell. The vectors and host cells into which they are introduced may be used to clone or otherwise

identify nucleic acids according to the invention.

The agent may be used as part of a viral vector which is itself pathogenic to nematodes.

Also of interest in the present context are nucleic acid constructs which operate as plant vectors. Specific procedures and vectors previously used with wide success upon plants are described by Guerineau and Mullineaux (1993) (Plant transformation and expression vectors. In: Plant Molecular Biology Labfax (Croy RRD ed) Oxford, BIOS Scientific Publishers, pp 121-148). Suitable vectors may include plant viral-derived vectors (see e.g. EP-A-194809). Suitable promoters which operate in plants include the Cauliflower Mosaic Virus 35S (CaMV 35S). Other examples are disclosed at page 120 of Lindsey & Jones (1989) "Plant Biotechnology in Agriculture" Pub. OU Press, Milton Keynes, UK.

#### Host cells

The toxin genes or gene fragments encoding the nematocidal agents of the subject invention may be introduced into a host cell, microbial, animal or plant. Expression of the toxin gene in the host cell results, directly or indirectly, in the intracellular production and maintenance of the nematocide.

Thus the present invention also provides methods comprising introduction of such a construct into a plant cell or a microbial cell and/or induction of expression of a construct within a cell, by application of a suitable stimulus e.g. an effective exogenous inducer.

Hosts may be used to assay the activity of particular sequences or

fragments. Hosts can also be used to generate quantities of toxin which can be employed in situ in suitable treated cells, or alternatively with suitable hosts, e.g., *Pseudomonas* viable microbes can be applied to the sites of nematodes where they will proliferate and where they or their products can be ingested by the nematodes. Higher organisms, preferably plants, can also be engineered with the toxin. The result in each case is a control of the nematodes. A host may be selected that can tolerate harsh environmental conditions and then grow when they improve, as illustrated by *Bacillus* species where the spores can exist under environmental extremes.

Characteristics of interest for use as a nematocide microcapsule i.e. a vehicle for the active agent include protective qualities for the nematocide, such as thick cell walls, pigmentation, and intracellular packaging or formation of inclusion bodies; leaf affinity; lack of mammalian toxicity; attractiveness to nematodes for ingestion; ease of killing and fixing without damage to the toxin; and the like.

#### Treated host cells

Where the cell is treated, the cell will usually be intact and be substantially proliferative form when treated, rather than in a spore form, although in some instances spores may be employed. Treatment of the microbial cell, e.g. a microbe containing the bacterial toxin gene or gene fragment, can be by chemical or physical means, or by a combination of chemical and/or physical means, so long as the technique does not deleteriously affect the properties of the toxin, nor diminish the cellular capability in protecting the toxin.

#### Viable hosts

Where the toxin gene or gene fragment is introduced via a suitable vector into a microbial host, and said host is applied to the environment in a living state, it is preferable that microorganism hosts are selected which are known to occupy the phytosphere (phylloplane, phyllosphere, rhizosphere, and/or rhizoplane) of one or more crops of interest. These microorganisms are selected so as to be capable of successfully competing in the particular environment (crop and other insect habitats) with the wild-type microorganisms, provide for stable maintenance and expression of the gene expressing the polypeptide pesticide, and, desirably, provide for improved protection of the nematocide from environmental degradation and inactivation.

A large number of microorganisms are known to inhabit the phylloplane (the surface of the plant leaves) and/or the rhizosphere (the soil surrounding plant roots) of a wide variety of important crops. These microorganisms include bacteria, algae, and fungi. Of particular interest are microorganisms, such as bacteria, e.g., genera *Pseudomonas*, *Erwinia*, *Serratia*, *Klebsiella*, *Xanthomonas*, *Streptomyces*, *Rhizobium*, *Rhodopseudomonas*, *Methylophilus*, *Agrobacterium*, *Acetobacter*, *Lactobacillus*, *Arthrobacter*, *Azotobacter*, *Leuconosroc*, and *Alcaligenes*; fungi, particularly yeast, e.g., genera *Saccharomyces*, *Cryptococcus*, *Kluyveromyces*, *Sporobolomyces*, *Rhodororula*, and *Aureobasidium*.

#### Plants as hosts

Nucleic acid encoding the nematocides of the present invention can be introduced into plant cells using any suitable technology, such as a disarmed Ti-plasmid vector carried by *Agrobacterium* exploiting its natural gene transfer ability (EP-A-270355, EP-A-0116718, NAR 12(22) 8711 - 87215 1984), particle or microprojectile bombardment (US 5100792, EP-A-444882,

EP-A-434616) microinjection (WO 92/09696, WO 94/00583, EP 331083, EP 175966, Green et al. (1987) *Plant Tissue and Cell Culture*, Academic Press), electroporation (EP 290395, WO 8706614 Gelvin Debeyser) other forms of direct DNA uptake (DE 4005152, WO 9012096, US 4684611), liposome mediated DNA uptake (e.g. Freeman et al. *Plant Cell Physiol.* 29: 1353 (1984)), or the vortexing method (e.g. Kindle, *PNAS U.S.A.* 87: 1228 (1990d). Physical methods for the transformation of plant cells are reviewed in Oard, 1991, *Biotech. Adv.* 9: 1-11.

*Agrobacterium* transformation is widely used by those skilled in the art to transform dicotyledonous species. It has also been used with filamentous fungi (see de Groot et al, 1998, *Nature Biotechnology* 16: 839-842).

Recently, there has also been substantial progress towards the routine production of stable, fertile transgenic plants in almost all economically relevant monocot plants (see e.g. Hiei et al. (1994) *The Plant Journal* 6, 271-282)). Microprojectile bombardment, electroporation and direct DNA uptake are preferred where *Agrobacterium* alone is inefficient or ineffective.

Alternatively, a combination of different techniques may be employed to enhance the efficiency of the transformation process, e.g. bombardment with *Agrobacterium* coated microparticles (EP-A-486234) or microprojectile bombardment to induce wounding followed by co-cultivation with *Agrobacterium* (EP-A-486233).

Generally speaking, following transformation, a plant may be regenerated, e.g. from single cells, callus tissue or leaf discs, as is standard in the art. Almost any plant can be entirely regenerated from cells, tissues and organs of the plant. Available techniques are reviewed in Vasil et al., *Cell Culture and Somatic Cell Genetics of Plants*, Vol I, II and III, Laboratory Procedures and Their Applications, Academic Press, 1984, and Weissbach and



Weissbach, Methods for Plant Molecular Biology, Academic Press, 1989.

The generation of fertile transgenic plants has been achieved in the cereals rice, maize, wheat, oat, and barley (reviewed in Shimamoto, K. (1994)

Current Opinion in Biotechnology 5, 158-162.; Vasil, et al. (1992)

Bio/Technology 10, 667-674; Vain et al., 1995, Biotechnology Advances 13 (4): 653-671; Vasil, 1996, Nature Biotechnology 14 page 702).

#### Combination nematocides

In further embodiments of the invention, bacteria associated with entomopathogenic nematodes or the toxins or products discussed above are used in conjunction with other nematocidal bacteria such as *B. thuringiensis* strains (e.g. from WO 92/19739) or pesticidal materials derived therefrom.

#### Materials for use in the present invention

The present invention also embraces materials for use in the methods above. These materials include the novel bacterial strains which are associated symbiotically with an entomopathogenic nematode and which are capable of controlling a target nematode. In particular the invention encompasses strain C42, I73 or H31 in isolated or substantially isolated form, or strains having the characteristics of C42, I73 or H31 (including nematocidal activity assessed as below).

Also embraced are compositions and formulations of these bacteria. These may comprise or consist of wettable powders, granules or dusts, mixed with various inert materials, such as inorganic minerals (phyllosilicates, carbonates, sulfates, phosphates, methylcellulose, xanthan gum and the like) or botanical materials (powdered corncobs, rice hulls, walnut shells,

peat moss, vermiculite, soil, seeds, other plant tissue and the like). The formulations may include spreader-sticker adjutants, stabilizing agents or surfactants. Liquid formulations may be aqueous-based or non-aqueous and employed as foams, gels, suspensions, emulsifiable concentrates, or the like. The ingredients may include rheological agents, surfactants, emulsifiers, dispersants, or polymers.

Bacteria may be mixed with other material while in freeze-dried form, encapsulated in biodegradable or water-soluble material, or otherwise treated to prolong their viability or decrease their levels of metabolic activity during handling. If desired, the carrier material may contain assimilatable nutrient sources to support proliferation of the bacteria.

Also included are purified or substantially purified nematocidal agents (particularly proteinaceous agents) isolated or isolatable from the strains or host cells discussed above.

Thus the invention further discloses nematocidal compositions comprising one or more agents as described above. Such compositions preferably further comprise other nematocidal materials from other *Xenorhabdus* species or non-*Xenorhabdus* species. These other materials may be chosen such as to have complementary properties to the agents described above, or act synergistically with it.

Toxins of the invention for use with animals can be adapted to be administered orally in a unit dosage form such as a capsule, bolus or tablet, or as a liquid drench when used as an anthelmintic in mammals, and in the soil to control plant nematodes. The drench is normally a solution, suspension or dispersion of the active ingredient, usually in water, together with a suspending agent such as bentonite and a wetting agent or like

excipient. Generally, the drenches also contain an antifoaming agent. Drench formulations generally contain from about 0.001 to 0.5% by weight of the active compound. Preferred drench formulations may contain from 0.01 to 0.1% by weight, the capsules and boluses comprise the active ingredient admixed with a carrier vehicle such as starch, talc, magnesium stearate, or dicalcium phosphate. Where it is desired to administer the toxin compounds in a dry, solid unit dosage form, capsules, boluses or tablets containing the desired amount of active compound usually are employed. These dosage forms are prepared by intimately and uniformly mixing the active ingredient with suitable finely divided diluents, fillers, disintegrating agents and/or binders such as starch, lactose, talc, magnesium stearate, vegetable gums and the like. Such unit dosage formulations may be varied widely with respect to their total weight and content of the antiparasitic agent, depending upon the factors such as the type of host animal to be treated, the severity and type of infection and the weight of the host.

When the active compound is to be administered via an animal feedstuff, it is intimately dispersed in the feed or used as a top dressing or in the form of pellets which may then be added to the finished feed or, optionally, fed separately. Preferably, a carrier for feed administration is one that is, or may be, an ingredient of the animal ration. Suitable compositions include feed premixes or supplements in which the active ingredient is present in relatively large amounts and which are suitable for direct feeding to the animal or for addition to the feed either directly or after an intermediate dilution or blending step. Typical carriers or diluents suitable for such compositions include, for example, distillers' dried grains, corn meal, citrus meal, fermentation residues, ground oyster shells, wheat shorts, molasses solubles, corn cob meal, edible bean mill feed, soya grits, crushed limestone and the like.

Alternatively, the antiparasitic compounds may be administered to animals parenterally, for example, by intraluminal, intramuscular, intratracheal, or subcutaneous injection, in which event the active ingredient is dissolved or dispersed in a liquid carrier vehicle. For parenteral administration, the active material is suitably admixed with an acceptable vehicle, preferably of the vegetable oil variety, such as peanut oil, cotton seed oil and the like. Other parenteral vehicles, such as organic preparations using solketal, glycerol, formal and aqueous parenteral formulations, are also used. The active compound or compounds are dissolved or suspended in the parenteral formulation for administration; such formulations generally contain from 0.005 to 5% by weight of the active compound.

Further aspects of the invention include nucleic acids, vectors and host cells containing a heterologous construct according to the present invention, especially a plant or a microbial cell.

Such microbial cells may be treated as described in the methods above. Examples of chemical reagents are halogenating agents. Other suitable techniques include treatment with aldehydes, such as formaldehyde and glutaraldehyde; anti-infectives, such as zephiran chloride and cetylpyridinium chloride; alcohols, such as isopropyl and ethanol; various histologic fixatives, such as Bouin's fixative and Helly's fixative (See: Humason, Gretchen L., Animal Tissue Techniques, W.H. Freeman and Company, 1967); or a combination of physical (heat) and chemical agents that preserve and prolong the activity of the toxin produced in the cell when the cell is administered to the host animal. The method of inactivation or killing retains at least a substantial portion of the bio-availability or bioactivity of the nematode control agent.

In all of the compositions discussed above, the nematocide concentration may vary widely depending upon the nature of the particular formulation, particularly whether it is a concentrate or to be used directly. The nematocide will be present in at least 1% by weight and may be 100% by weight. The dry formulations will have from about 1-95% by weight of the nematocide while the liquid formulations will generally be from about 16% by weight of the solids in the liquid phase. The formulations will generally have from about  $10^2$  to about  $10^{10}$  cells/mg, more preferably  $10^7$  to about  $10^9$  cells/mg. These formulations will be administered at about 50 mg (liquid or dry) to 1 kg or more per hectare. The formulations can be applied to the environment of the nematodes, e.g., plants, soil or water, by spraying, dusting, sprinkling, or the like.

In addition to the above the invention includes plant cells which have been transformed with the genes of the present invention, and plants which include such plant cells.

#### EXAMPLES OF THE INVENTION

The invention will now be further described with reference to the following non-limiting Figures and Examples. Other embodiments of the invention will occur to those skilled in the art in the light of these.

#### FIGURES

Fig 1 shows the cHRIM5 cosmid vector and subclones used for sequencing, as described in Example 6.

Fig 2 shows the sequence of cHRIM5 (1-37544 bps).

Fig 3 shows the position and orientation of ORFs in the cHRIM5 sequence.

Fig 4 shows deletions of cHRIM5 tested for nematocidal activity.

Fig 5 illustrates cloning of nematocidal activity in PLEX.

#### Example 1 - Source of strains C42, I73 and H31

Strain C42 was obtained using an insect entrapment method. Insects which were killed on the surface of a soil sample were observed under a microscope at high magnification. Any that contained high numbers of bacteria and not fungal hyphae were presumed to have been killed by insect parasitic nematodes. The identified presence of nematodes also aids this identification step, but it is not essential. These samples were plated on to NBTA media (see Poinar & Thomas, 1984 Nematodes p238-280 in "Laboratory guide to insect pathogens and parasites" Eds. Poinar & Thomas, Pub. Plenum Press, New York). Any colonies that developed that had characteristic features (e.g. morphology, size, colour) of *Xenorhabdus* or *Photorhabdus* strains were selected. Non-luminescent colonies were presumptively identified as *Xenorhabdus*. The identity of those having nematocidal activity as assessed in Example 3, is further confirmed using 16s rRNA sequence data (see Brunel et al 1997, Applied and Environmental Microbiology 63,2: 574-580).

I73 and H31 strains were obtained in a similar way to strain C42 but they were identified as belonging to the species *X. bovienii* when compared to the *X. bovienii* type strain T228 using Restriction Analysis of the complete 16S

rRNA gene (see Brunel et al, 1997 Applied and Environmental Microbiology: 574-580), and partial 16s ribosomal RNA sequence analysis.

#### Example 2 - Cell growth and preservation

Subcultures of the *Xenorhabdus* species C42, I73 and H31 were used to inoculate three 9 cm diameter petri dishes containing L agar (10g tryptone, 5 g Yeast Extract, 5 g NaCl and 15 g agar per lt). Plates were incubated for 48 hrs at 26°C and the resulting growth harvested by scraping off bacterial cells and thoroughly resuspending in 40 mls of 5% w/v lactose. The cells were washed once by centrifugation (5000 x g for 10 mins), resuspended in 10 mls of 5% w/v lactose, dispensed into 1 ml aliquots and freeze dried (-60°C for 48 hrs ) for medium term storage at 2°C. Other stocks were re-suspended in nutrient broth containing 10% w/v glycerol (Protect) and frozen at -70°C.

#### Example 3- Activity of cells against *Caenorhabditis elegans*

The bioassays were performed by allowing *C. elegans* to feed on live bacterial cell suspensions spread over the surface of Luria broth agar (Luria broth containing 1.2%w/v agar) in segmented square petri dishes (2.0 x 2.0 cm per test well). A minimum of three test wells, each containing 50-100 nematodes were used for each test. Mortalities were recorded after 3 days at 18°C.

*C. elegans* was cultured on *Escherichia coli* at 18°C on 9 cm diameter LB agar plates. Once the nematodes had colonised the complete plate they were re-subbed on a fresh plate to maintain stocks and the remainder re-suspended in 40 ml LB. The tube was allowed to stand for 15 min and the nematodes settled to the bottom. The concentrated nematodes were removed using a

sterile pipette and placed in 40 mls of fresh LB. The process was repeated 5 more times to wash the nematodes away from the *E. coli* cells. The nematodes were then diluted so that approximately 50 nematodes were present in 50 µl of LB.

The *Xenorhabdus* cells used were cultured in LB at 30°C/100 rpm for 24 hours and 50 µl spread on to the surface of each test well. The control *E. coli* cells were treated in a similar way but incubated at 37°C for growth. After application the wells were air dried for 30 min, and 50 µl of the nematode suspension placed in each well. Again the wells were air dried for 30 min. Plates were incubated at 18°C with 80% relative humidity for 3 days.

*Xenorhabdus* spp. C42, H31 and I73 gave 95% mortality, as compared with no significant effect for certain other *Xenorhabdus* bacterial strains and *E. coli*. Thus these results clearly show that cells from *Xenorhabdus* C42, H31 and I73 are an effective nematocide.

#### Example 4 - Cloning of nematode active gene from I73

Total DNA was isolated from I73 using a Quiagen genomic DNA purification kit (cat no. 10243). To isolate DNA, cells were grown in Luria broth (10g tryptone, 5g yeast and 5g NaCl per lt) at 26°C with shaking at 200 rpm to an optical density of 1.5 A<sub>600</sub>. Cells were harvested by centrifugation at 4000 x g and the DNA isolated using Quiagen 100/G tips, as per manufacturer's instructions. The purified DNA was stored at -20°C in TE buffer (10 mM Tris, 1 mM EDTA, pH 8.0).

To obtain a representative I73 library, total DNA was partially digested with *Sau3A*. Approximately 25 µg of DNA was incubated at 37°C with 0.25 units



of enzyme. At intervals of 5, 15, 30, 45 and 60 minutes, samples were removed and heated at 65°C for 10 minutes. To determine the size of the resulting DNA fragments, the samples were separated on a 0.5% (w/v) agarose gel. The samples containing a dominant DNA fragment size of between 30 and 50 Kb were combined and treated with shrimp alkaline phosphatase (Boehringer) for 20 minutes at 37°C. The DNA was ligated into the *Bam*HI site of the Stratagene cosmid vector Supercos1 (scos) and packaged into the *Escherichia coli* strain XL Blue 1, using a Gigapack II packaging kit (Stratagene) following the manufacturer's instructions.

To identify individual cosmid clones with activity to *C. elegans*, single colonies were grown in individual wells of segmented square petri dishes on Luria agar, containing 50 µg/ml ampicillin at 30°C for 24 hours. To each well, approximately 50, mainly L4 and adult *C. elegans* larvae were added in 50 µl of Luria broth. The dishes were incubated at 18°C and examined after 6 days for nematode development.

A total of 600 clones were examined and one coded cHRIM5 was found, which caused significant reduction in larval numbers, with no live L4 and adult larvae observed compared to on average, greater than 40 in all other clones tested.

#### Example 5 - Activity of cHRIM5, C42, H31 and I73 against *C. elegans*

Clone cHRIM5 was grown in 50 mls LB containing 50 µg of ampicillin per ml at 30°C/200 rpm for 40 hours. C42, H31 and I73 were grown in 50 mls LB at 26°C for 48 hours/200 rpm. Cultures were centrifuged at 4000 x *g* for 10 minutes, washed once and resuspended in 5 mls of PBS (0.05 mM phosphate buffer, 0.125M NaCl). To determine activity, 300 µl of cells were added in triplicate, to 1.2 ml of PBS containing 25, mainly L4 and adult *C.*

*elegans* larvae in multi well square dishes. As a control, an equivalent amount of XL 1 Blue *E. coli* cells containing Supercos 1 were used to determine nematode survival. The assays were incubated at 18 °C for 7 days before approximate nematode counts and observations were made.

#### Activity of cells on *C. elegans*

Cell line	No. and size of larvae/square	Cell turbidity
XL 1 Blue/Supercos 1	>100 (all stages)	Clear
XL 1 Blue/cHRIM5	<20(mainly small, L1,2 &3)	Cloudy
C42	<10	Cloudy
H31	<10	Cloudy
I73	<10	Cloudy

Thus cHRIM5, C42, H31 and I73 all gave a reduction in nematode numbers, and in particular cHRIM5 cells significantly reduced larval growth and development. All four strains caused a reduction in feeding (as indicated by the cloudy cell suspensions).

#### Example 6 - DNA and protein sequences

Plasmid and cosmid DNA for cloning was prepared using the QIAGEN midi system (tip 100, cat. No 12143). Cells were grown in Luria broth (Merck) at 37°C with shaking at 200 rpm for 18 hours. Cells were harvested by centrifugation at 6,000 x *g* and the DNA isolated as per manufacturers instructions. Restriction digestion (Roche, Life Technologies), dephosphorylation (Roche) and ligation (Life Technologies) were carried out using manufacturer's recommended conditions and as outlined by Sambrook et al. Transformation was accomplished using electrocompetant cells and a

BIO-RAD Gene pulser set at 12.5V cm<sup>-2</sup>. Two µl of DNA was used to electroporate 80 µl of early log phase *E. coli* DH5 alpha cells washed 3 times in sterile water (centrifugation at 6000 x g for 5 mins) and resuspended in 1/100th the original volume in 10% (v/v) glycerol. Luria agar containing either kanamycin or ampicillin at 50 µg ml<sup>-1</sup> were used to select clones where appropriate.

DNA sequence analysis of cHRIM5 was completed by sequencing a number of sub clones and primer walking, see figure 1 for the supercos vector, where the numbers are kBp. The sub clones used are as follows:

code	cHRIM5 treatment	vector used or remaining
A-380	<i>Hind</i> III digestion and self-ligation	deleted scos
B-387	<i>Bam</i> HI digestion and self-ligation	pUC 19- <i>Bam</i> HI digestion
C-381	<i>Sal</i> I- <i>Bam</i> HI digestion	scos
E-391	<i>Sal</i> I- <i>Bam</i> HI digestion	pUC 19- <i>Sal</i> I <i>Bam</i> HI digestion
F-392	<i>Sal</i> I- <i>Bam</i> HI digestion	pUC 19- <i>Sal</i> I <i>Bam</i> HI digestion

Sub clone A-380 was constructed by digesting cHRIM5 DNA with the restriction enzyme *Hind*III and re-ligating fragments, this clone contains a deletion of the insert and scos cosmid DNA as the vector. Sub clone B-387 is a *Bam*HI digestion of cHRIM5 cloned into the plasmid pUC19 also cut with *Bam*HI and dephosphorylated. Sub clone C-381 was obtained by digesting cHRIM5 DNA with *Bam*HI and re-ligating the fragments, this clone contains the scos cosmid as the vector. Clones E-391 and F-392 were obtained by cutting cHRIM5 DNA with *Sal*I and *Bam*HI and ligating these fragments into the vector pUC19 also cut with these enzymes.

Sequencing was conducted using the artificial transposon AT2 (supplied by Perkin-Elmer-Applied Biosystems, Primer Island Transposition kit, cat No.

403015) using the cosmid cHRIM5 and all sub-clones as target DNA. One  $\mu\text{g}$  of cHRIM5 DNA was incubated with the transposon AT2 for 1 hour at  $30^\circ\text{C}$  in a final volume of  $20\ \mu\text{l}$ . After incubation the reaction was stopped by adding  $5\ \mu\text{l}$  of  $0.25\text{M}$  EDTA,  $1\%$  (w/v) SDS, and heat treatment at  $65^\circ\text{C}$  for 30 mins. The DNA was desalted by dialysis against water. One  $\mu\text{l}$  of the reaction mix was used to electroporate  $80\ \mu\text{l}$  of early log phase *E. coli* DH5 alpha cells. Colonies were selected on LB media containing  $50\ \mu\text{g/ml}$  trimethoprim. Once inserted the transposon mutants were used to provide a range of positions of primer sites at random intervals throughout the clones. The two primers PI+ and PI- near the end of the transposon were used to generate sequence data. In addition standard primers for the pUC19 and scos vectors were used to generate sequence data at the ends of each clone. DNA for sequencing was prepared using the QIAGEN ion exchange media (qiawell8, cat. No. 17122). Clones were grown in  $1\ \text{ml}$  of Luria broth containing trimethoprim ( $50\ \mu\text{g ml}^{-1}$ ) for 18 hours. Cells were centrifuged at  $13,000 \times g$  for 5 mins and resuspended in  $350\ \mu\text{l}$  of buffer P1. After 5 mins  $350\ \mu\text{l}$  of buffer P2 was added and the samples incubated for 5 mins at room temperature. To this  $350\ \mu\text{l}$  of buffer P3 was added and the samples left on ice for 15 mins. After centrifugation at  $13,000 \times g$  for 15 mins the samples were loaded on the Qiagen column under vacuum, and washed with buffer QC. DNA was eluted with buffer QF ( $500\ \mu\text{l}$ ) at  $50^\circ\text{C}$  and isopropanol precipitated ( $0.8\ \text{vol}$ ). After centrifugation at  $13,000 \times g$  for 30 min, DNA was washed with  $70\%$  (v/v) ethanol and air dried for 10 mins. The final pellet was resuspended in  $10\ \mu\text{l}$  of water. Cycle sequencing reactions using the Perkin-Elmer Applied Biosystems division Big Dye reaction kit (cat No. 4303149) were prepared using standard conditions for plasmid and cosmid sequencing. Samples were analysed on ABI Automated Sequencers. DNA sequences were assembled using the DNA\* software. The complete sequence of cHRIM5 was obtained by primer walking to join the final DNA contigs together. The final sequence of cHRIM5ed2 is shown

in Figure 2. Analysis of the DNA using the software Clone indicated a number of ORF illustrated in Figure 3 and 4. Corresponding protein sequences are also presented at Annex I.

#### Example 7 - Fragments that encode nematocidal activity

To identify smaller fragments that encoded nematocidal activity, a series of sub-cloning experiments were performed using *E. coli* DH5 alpha. Qiagen midi and miniprep methods, restriction and ligations were used as for previous examples. Nematicidal activity of all constructs was determined as described in Example 4. In Figure 4, we show the deletions of cHRIM5 tested for nematocidal activity. Restriction sites and genes are indicated. Size in base pairs indicated on the map line. A cHRIM5, B cHRIM6, C cHRIM7, D cHRIM8, E cHRIM8, F cHRIM10, G *NdeI* deletion of cHRIM8, H Approximate positions (arrows) of three AT2 transposon insertions (tn58, tn26, tn43) in cHRIM9.

The cosmid cHRIM5 (figure 4A) was digested with the enzyme *SaII* and religated. The resulting sub clone cHRIM6, illustrated in Figure 4B showed nematocidal activity. cHRIM6 was digested with the enzyme *SmaI* and religated, producing sub-clone cHRIM7 (Figure 4C). cHRIM7 was digested with *BglII* and the kanamycin resistance gene block (*nptII*, Pharmacia) cut with *BamHI* was ligated into it. After selection on LB containing kanamycin (50µg ml<sup>-1</sup>) and ampicillin (50µg ml<sup>-1</sup>) the clone was digested with *SaII* and religated, in effect creating a deletion from the *SaII* site to the *BglII* site of cHRIM6 to generate cHRIM8 (figure 4D). By cutting cHRIM8 with *NruI* a further deletion was made to create cHRIM10 (figure 4F). All the above clones maintained nematocidal activity.

Deletion of cHRIM8 with *NdeI*, removed a portion of the p14-2f gene (figure

4G), this reduced nematocidal activity. This indicates that the p14-2f gene or protein are important for nematocidal activity. Transposon mutagenesis of cHRIM9 (a clone very similar to cHRIM7 but deleted with *NarI* rather than *SmaI*) with the artificial transposon AT2 (Perkin Elmer Applied Biosystems) resulted in a number of inserts within this clone (figure 4H). Insert cHRIM9-tn43 was restriction mapped to an approximate position of bp 20,700 (on cHRIM5) within the p20-9r gene, this mutant retained nematocidal activity. This indicates that this gene is not essential for activity. Insert cHRIM9-tn58 mapped to an approximate position of bp 13,400 (on cHRIM5), within the p13-1f gene, nematocidal activity was reduced. This indicates that this gene, region of DNA or the blocking effect of the transposon in this position is important for activity. Insert cHRIM9-tn26 was restriction mapped to approximate position of bp 15,000 (on cHRIM5) within the p14-2f gene, nematocidal activity was reduced. This indicates that this gene, region of DNA or the blocking effect of the transposon in this position is important for activity.

Clone cHRIM6-tn43 was digested with *BglII* and *NofI* and cloned into the vector PLEX (Invitrogen cat. No. K450-01) cut with *BamHI* and *NofI*. The *E. coli* strain used was GI742 supplied by Invitrogen. The resulting plasmid insert (PLEX-*BglII*/tn43, Figure 5) places the p14-2f and p13-1f genes under the control of the bacteriophage Lambda  $P_L$  promoter. Figure 5 illustrates the cloning of DNA encoding nematocidal activity in the expression vector PLEX, where: A, plasmid clone; B, insert and gene locations; Tpr, trimethoprim resistance; Apr, ampicillin resistance;  $P_L$ , bacteriophage lambda  $P_L$  promoter; \*, plasmid joins to form a circular molecule; \*\*, incomplete genes. Selection of colonies on RMG media (described in the Invitrogen manual) containing ampicillin ( $50 \mu\text{g ml}^{-1}$ ) and trimethoprim ( $50 \mu\text{g ml}^{-1}$ ) prevents expression from the  $P_L$  promoter. Colonies were then cultured on LB containing Trimethoprim ( $50 \mu\text{g ml}^{-1}$ ) in  $2.0 \text{ cm}^2$  wells for

nematocidal tests. The clone was active. This indicates that genes within this fragment have nematocidal activity. The clone PLEX-*Bgl*II/tn43 was digested with *Cl*aI and religated, this resulted in a deletion of part of the p13-1f gene, this clone had reduced nematocidal activity indicating the importance of this gene.

All these results indicate that the genes and gene products of p13-1f and p14-2f are important for nematocidal activity. Other smaller genes within the *Bgl*II to *Nru*I sites of cHRIM10 and PLEX-*Bgl*II/tn43 may also be essential. In addition genes outside this region within the remaining cosmid clone (cHRIM5) may also encode products with nematocidal activity, or may enhance the nematocidal activity of genes in the smaller region (*Bgl*II-*Nru*I of cHRIM10 and PLEX-*Bgl*II/tn43).

#### Example 8 - Field trials

Activity of strains selected in accordance with the above methods, or from depositary institutions which include bacteria which in nature are associated symbiotically with entomopathogenic nematodes, may be further assessed in field trials as follows.

Symbiotic bacteria in the absence of their nematode host can be inoculated into one or more portions of a field which is infested with nematodes, or into containers containing unsterilised soil from such a field. The bacteria can be inoculated onto the roots of plants, or into seeds. Periodically treated and untreated areas or containers can be assayed for nematode larva, egg, or cyst counts and for the presence of the inoculated bacteria by methods well known to those skilled in the art. A reduction in the number of nematode counts in areas in which the symbiote bacteria are present indicates control of the nematodes otherwise found in the untreated areas or samples.

## Annex I - amino acid sequences

SEQ ID NO:1

P0-0f

ISWFATGIPTVDALLAEFWHGDKQAFPPFTCRFTHFDPDKEQDVTLPSTEEAYWLHRA  
 LQQGPLHSEVYGDDGTAQAGIPYTMDSRPQVRLLTGLPGNSPTVWPSVIEQRTWQYERI  
 ADDPQCHQQVVLNSDRYGFPRETVDIAYPRRPKPAVSPYDPTLPATLFDSSYDEQQQQLR  
 LTRQRQHYHHLTDTEHQVLGLPDVMRSDAWGYPAARVPREGFTLEDLLAENSLIAPGTPL  
 TYLGHQRVAYTGTTGTEEKPTRQALVAYTETAVFDELALQAFNGTLSPEALEKKLIESGY  
 LSVPRPFNTGAESAVVVARQGYTDYGGSEAFYRPLAQRTTVQIGKNTLHWDTHYCAVVRM  
 QDAAGLYTDAAYDYRFLT PVQITDANDNQOHITLTALGQVSSGRFWGTEEGTPQGYTPPE  
 DRPFTPPSSVAEALDLKPDLPVANCVMYAPLSWMPHAHTYQEYIAGFTWQALLDAGVVTE  
 DKRVCALGFRRWVQRQGI VLNQALADSREP VHVLT LATDRYDTPDQQLRKSVTYS DGF  
 GRLLQSAVYNAPGEAWQRAADGSLITDAKGAPLVAHTATRWAVSGRTEYDGKGQPVRTYP  
 PFFLNAWQYLSDD SARQDLNADTHRYDPLGREYQVRTAKGYLRQNRLTPWFVVNEDENDT  
 LS

SEQ ID NO:2

P1-2r

YLPQRGCQDMLLVVIGIGYLNQGQEA VIIGGIRVQTRRILHTDDRTVMGIPMEGVFANLH  
 RRPLSQRTVKRLRPAVIGISLTGDPDRRFRGTGIEWAWNRRQITRLD

SEQ ID NO:3

P2-0f

SHPARYGGRLTTL SRKGFTVNRGDNLHQKTPEVTVLDNRGLTVRELRYHRHPNTPTTT  
 DERITRHRFTLSGQLAHSIDPRLFDLQQT DNTVNPNIYDTALTGEVVRTRSVDAGNDLI  
 LNDITGRPVLA INATEVTRTWQYENDTLPGRPLSITEQPAGEAGRITERFVWAGNSQAEK  
 NSNLAGQCVRHYDTAGLNQTD SIALNGIPLSVTRQLLPDGT DADWQGNNEPAWNDRLAPE  
 NFTTLSTADATGAVLT TTTDAAGNLQRVAYDVAGLLTGSWLRLAGGTEQVIVKSLTYS AAG  
 QKLREEHNGNVVTTYTYEPETQRLVG IKT KRPQGH AQGT KVLQDLRYEYDPVGNVVKVTN  
 DAEVTRFWRNQKVPENTYVYDSLYQLVSATGREMANIVQSTLLPTPSLIDSSTYSNYS  
 RTYNYDRGDNLTQIRHSAPATGNSYTTDITVSDHSNRAVLDTLTD DPAKVDALFTAGGHQ  
 IPLQPGQNLVWTPRGELLKVAPVVRDQGISDQESYRYDAASQRIIKTHVQQTANSSQAQS  
 TLYLPGLERHTTINGTTVKEVLHVITIGEAGRAQVRVLHWENGKPGAISNNQMRYSYDNL  
 IGSSGLEVDGDGQIISMEEYYPYGGTAVWTARSQTEADYKTVRYS GKERDATGLYYYGYR  
 YYQPWAGSWLSADPAGTIDGLNLYMRVNRNPATLDDKNGLAPGNRYVFFPFHEDRIFRL  
 ASANVYRTEHNKSDIIAVVEDKALDSKLFTNSIEQFFKKPKGKAILKGS PDIKERLLNNI  
 VHDLSNMQVGDQLYVNAHGHS AKPFFYS DSGYSKIIMEQLQRGANYVAKDLVNKFKLPEN  
 ATIKISTCHSAEGKGAHITVTSTGTNEKMRYSSIIENKGEFSRSLAGTMENELIKLPGR



39

VRGNVYGYLGATTFFYGAKNEKVIHLKDGNLTTGVHEGKLSMFTKKNRFSENIFGLKVKRS  
LTRTNFTGSGV

SEQ ID NO: 4

p-2-9r

PAAEYVRDFTITCSVPPASRSQIPVSRPATSYATRCRLPAASVVVSTAPVASAVLRVVKF  
SGASRSFQAGSLFFCQASVPSGSSWRVTDSGMPLSAILSVWFSPAVS

SEQ ID NO: 5

P3-2r

QRALLNDIGHFAPGGTDQLIQAVIDIGVLRHHFLVAPEAGNLRIVRHFHHVPHRVVLIAQ  
VLQHLRPLCMSLWAFGFYANKALGLRLVGVGHHAVLFAQFLTRGGIRQGFHDNLLCP  
ARKPQPTASQQACYVIRHTLQVTGRIGGGQYRAGGIRRAQGGEVFRCQPVVPGGFIVSLP  
VCVRTIRQQIARLDGQRYAVKRNTVRLVQSGGVIVTHALSGQVAVLLRLTVPCPKTLCDT  
ACFASRLFCDDTERASG

SEQ ID NO: 6

P3-6r

SDRRQTGYAYSADHYRISGRSTVCTVRAGLMNYQCWLQHAATQLSESDSPKRDAEILGY  
VTGRSRTYLIAFDETLISSEELHQLDSSLVRRIOGEPVAYIIGEREFWSLPFAVSPATLI  
PRPDTECLEVEKALELLPDSPARILDGTGTGAIALALASERNDCYVTGVDINSDAVMLAQ  
HNAEKNAKLAIHNVNFLQSEWFAAVGNQQFDMIVSNPPYIDERDPHLQEGDIRFEPATA  
LIAAQNGMADLQAIVGQARHFLSPNGWLLLEHGWKQGTVVRNLFLEKGYQQIATFQDYGG  
NERITIGRWKNETHS

SEQ ID NO: 7

P3-7f

ARRAVRRCGYCTGRTESRVPSVTTRCATAMITLSAAVWRWTVTDKLSVWKNTRTGALR  
CGRRGVRQRLITRLCVTQARSGMQRGCIITATGITSRGRGAG

SEQ ID NO: 8

P5-6r

WQNGGSSSTTPRYLAGCYVWYPCSARLSGNAKSLLAPDGEWMKHTLKSASGNTFTGRLI  
PTGRPTVVTTIDKSGANTAALTLLNAEGEPQQGIEIRQNKYLNRIEQDHRHVKKRIRPML  
GFKSFRAQT

SEQ ID NO: 9

40

P5-7r

ALLFLSESRVMSLIRNAFKLLHYFVDIMAQCVRWSLTYALSLRNLEEMAKRGIFVDHAT  
IPRWVLRRLVPLLSKAFRKRKKPVGSRWRMDETYIKVKGQWKYLYRSVDTGQTDGCDYR

SEQ ID NO:10

P6-3f

VHSPSGAVAPGKFFIENFADTFPAPLPLHPFIDACIQQGFQLLPCLIAIAHSGKQAFECV  
LLDRLALQGSQCLQALVLPVGDVNGQTAHGFLIGYTQTHISTYNGLWLFITQGVRYRFV  
RQTFVCRSLSFSEDDCTN

SEQ ID NO:11

P6-3r

RTCRRERPRMLDYVLTKAAEADLRARIHTRKQWGDQVRRYITALEQGIARLAVQGGSFK  
DMSALFPALRMAHCERHYVFCLPRENAPALIVAIHERMDLLTRLADRLK

SEQ ID NO:12

P6-6r

PQTIICANVGLCITDKEKTMRLTIDITDRQHOSLKALAAALQGKTIKQYALERLFPGMSD  
SDQAWQELKALLDTRINEGMEGKCGKSGEILDEELAGSDRA

SEQ ID NO:13

P7-1f

NAHFLIVSKTNVMSNQDPHNKRDSLFSAPIANLGDWSFDERVAEVFPDMVKRSIPGYSN  
IISMIGMLASRFVTPGSQIYDLGCSLGAATLSIRRSINADNCRIIAIDNSPAMIERCRRH  
IDSFKASTPVEVIEQNILDTDIQNASMVVLNFTLQFLHPDDRQKILKKIYAGLKPGGVLV  
LSEKFNFEQKIGELLFNMHHDfKRANGYSELEVSQKRSMLENVMRTDSVDTHKSRLKEV  
GFQHVVEVWFQCFNFGSLLAIKGTEQ

SEQ ID NO:14

P7-9f

TMIDFGNFYQLIAKHPLNHWLDSLPAQLSHWQKTSQHGFSSWVKILENLPEIKPSHLDL  
KNGVIAIHEPDLKSGEKARLHNILKILMPWRKGPFSLYDVEIDTEWRSDWKWERVLPHIS  
PLEGKTVLDVCGSGYHMMRMVGEQAQLVVGIDPTQLFLCQFEAIRKLLGNNQRAHLLPL  
GIEQLPELQAFDVFVSMGVLYHRRSPLDHLWQLKNQLVSDGELVLESVIEGDENQCLIP  
GERYAQMRNVYFIPSAKMLKVWLEKCGFVDVRIVDHAATTPDEQRRTIEWMKTESLVDFLD  
PSDHSKTIIEGYAPLRAVLIARKP

41

SEQ ID NO:15

P8-4r

SLQIDREKVGLDRYPQPIERLRQPCATCDNHCHSRHQVRFFLLKEKYGAALAPISSQSAI  
RYQFQRHTMKKGLFAMASIFSGYCGGELFHLITDPAHESQ

SEQ ID NO:16

P9-8r

SSFRLNDDLLTNSYSEGFLMIKLEICCYSSISCALVAQNAGADRIELSASPLEGGLTPSFG  
ALQOSLQRLSIPVHPIVRPRGGDFCYNNMDFEAMKNDVARIRDMGFPGIVFGILSENGHI  
DRLRMQRLMSLSGNMAVTFHRAFDNCFNPHVALEQLTELGVQRILTSGQQQNAELGLTLL  
KELMQASRGPIIMPGAGVRVSNISKFLEAGMTEVHSSAGKIVPSTMKYRKVGVMSSDDR  
DVDEYSHYSVDGELVESMKGVMSLIKR

SEQ ID NO:17

P10-5r

YFGKNRRFVIYVTLMERNFYGLFNGEEMSHFSKISELQDLVADLAGFEQKLKQFEGHLGL  
HFEQYSADHISLRCNESKIADRWKGFLOCGQLISESIINGRPICLFDLNQPIVLLDWKI  
DCVELPYPSQKHVYHQQWEHVELVLPVPPEQLICEAKKLLPQLPDNFRMKESHKPKGNE  
RLPNPILAV

SEQ ID NO:18

P10-7f

GNTVNIQVILSEKISNALIEAGAPTDEAHVRQSAKAQFGDYQANGVMAAAKKVGIPPRQ  
LAEKVVSQDLQGIASKVEIAGPGFINIFLDKAWVAANIETTLKDEKLGITPVEPQTIVI  
DYSAPNVAQMHVGHRLSTIIGDAAARTLEFLGHKVIRANHVGDWGTQFGMLIAYLEKIQ  
NENANDMALADLEAFYREAKKHYDEDEEFAIRARNYVVKLQGGDEYCRKMWRKLVDTMS  
QNQETYNRLNVTLTEKDVMGESLYNDMLPGIVADLKQRGIAVKSDGATVVYLDEFKNKEG  
EPMGVIIQKKDGGYLYTTTDIACAKYRHETLNASRVLYYIDSRQHQLMQAWAIVRKTGY  
IPESMSLEHHMFGMMLGKGKPFKTRAGGTVRLSDLLDEAIERADTLIREKNPDMPEDEL  
KKVVEAVGIGAVKYADLSKSRRTDYVFDWNMLAFEGNTAPYMQYAYTRVSSIFKRADID  
ENSLTLPVMLNEEREQALATRLLOFEETITTVAREGTPHVMCAYLYDLAGLFSGFYEHCP  
ILNADSEELRQSRLLKALLTAKTLKQGLDTLGIQTVERM

SEQ ID NO:19

P11-1r

AQVSNMHLGDIRCGIIDNDGLRFHWGDTLELIFQGSFYICCNPRFIKKNIDKTWACNFN  
FAGNSLQIQIQLADDFCQLSRRYSHLFSGSHHTIRLIVTKLCFGRITDVSFTVGWSASFNQ  
RIADFF

SEQ ID NO:20

P12-1r

HARVGVLHIRCRVAFKGOHIIIPVENIVCSTALGKICIFHRANPYRFHDFQFVFWHIWVF  
LTNEGIRTLNRFIOQIQSYCAAGTGFEWFTIFAQHHAKHVVE

SEQ ID NO:21

P12-5r

YHASFQLCRLLHTFYSLNTQSIKTLQSFRCQQSQLQAALAQFFAIGIQDRAVLIIETRE  
QTGQIVQVCTHNMRWRTFTGDGSDRFFKLQQAGCQCLLAFFIQHHRQCQAVFIDIRTFKDR

SEQ ID NO:22

P13-1f

FTLREDSMSDWTGVSTFNVILETGLDNCNIYANGLNMIGVIIINITPTDDEGNFVDIDVT  
LNDNIKIVDYIDGSDIDGSDGWFTGNPNEYNTIPNSQSYSLKSENSQITQIKRYVSCS  
NTSRLRTKSFSKAVTTTSGKVISITQNSINSSRVVINAIDATNFTDDELRTTKETRFENQ  
SYTSHKSSSTNSLYVHTWTIPRSLKLQNRWEDYNNGWTWAQSCYYKTGADGGSESTRWLA  
AGSIFPPGNYDGLWLDNDIALSGMAHKSYNVDTGINQLSFTRIIGKGFWSVYNISGLDRG  
HAVIIIDQYGNKYRILFHAGYENS DPYLSSSIVY

SEQ ID NO:23

P14-2f

VYIKFLKLFRRITMSDNEFFTQANNFTSAVSGGVDPRITGLYNIQITLGHIVGNGNLGPT  
LPLTLSYSPLNKTDIGFGIGFNGLSVYDRKNSLLSLSTGENYKVIETDKTVKLQKKLD  
NLRFEKDLKENCYRIIHKSGDIEVLTFGNNAFDLKVPKLLNPAGHAIYIDWNFEATQP  
RLNRIYDDLGDHDIPLLNLEYQGLIKTILTLFPGQKEGYRTELRLNRQLNSIHNFSLGN  
ENPLTWSFGYTPIGKNGILQWITSMTAPGGLKETVNYSNNQGHHPQSANLPVLPYVT  
LMKQVPGAGQPAIQAEYSYTSYSHNYVGGGNGIWNKLDNLYGLMTEYNYGSTESRRYKDK  
EGHDQIVRIERTYNNYHLLTSECKQQNGYIQTETAYYAIIGHNFDSPSQFQLPKTKTE  
TWRSADNSYRSEITETTDESIGNPLTKVIKDKKTQKIISPSTHWEYPPAGEVDNCPPEP  
YGFTRFVKKIIQTPYDSEFKDDPEKFIQYRSLIGSQSHVTLKIEERHYSATQLLNSTLF  
QYNTDKSELGRLLKQTECTKGNGKTYSVVHKFTYTKQDDTLQSSHSTTHDNFTIHRSQ  
VRSRYTGRLFSDDTDKDIVTQMSYDKLGRLLTRTLNSGTPYANTLTIDYELNNLQDDNRP  
PFVITTTDVNGNQLRNEFDGAGRHSQCLKDSGDGKFYTIHTQQYDEQGRHHTSTYSYD  
LTNGRQOTDPPDKVHLSMSKSYDNWGQIANTHWSYGVSEKITVDPITLTATKQLQSNSNNV  
QTGKEVTTYTPSQPIQITLFEAGHLQSCHTLTRDGWDRVRKETDAIGQCTIYQYDNYN  
RVIQITLPDGTIVNRKYAPFSTDTLITDIRVNGISLGQOTFDGLSRLTQSQDGGRVWAYT  
YSAGNDQCPSTVITPDGQFIHYQYQPELDDAVLQVASNEITQQFSYNPVTGALLKAVAEG  
QSLTPIIYPSGRLKMENTINDMKMSYLWTLRGLNGYTDLTGTIQKISRDTHGRVTQIKD

43

SSIKTTLNYYDDLNRHIGSQVTDLATGHMLTTTVEFDGLNREIGRKLCDSSGHTLDIQQSW  
LKTQQLANRIVKLNGLVLRTEQYSYDSRNRLNQYKCDGAECPTDKYGHISIVTQNFTYDIY  
GNITACHTTFADGTEDHATFKFANPTDPCQLTEVHHTHPDMPDNIRLKYDKAGRVINITD  
NHGNTENFTYDTLGRQLONGQGSVYGYDPLNRLVSQKTDTLDCELYRETMLVNEVRNGEM  
IRLLRTGETIIAQQRASKVLLTGTDSQQSVILTSQKQNLSEAYSAYGKHKSTANDASIL  
GYNGERADFPVSGVTHLNGYRSYDPTLMRFHTPDSLSPFGAGGINPYSYCLGDPINRSDP  
SGHLSWQAWTGIGMGIAGLLLTATGGMAIAAAGGIAAAIASTSTALAFGALSVTSDIT  
SIVSGALEDASPKASSILGWVSMGMGAAGLAESAIKGGTKLATHLGAFAEDGENALLKST  
SESSRIKWGVTRSLDREIVRNEEGQVIKDHSGYTDNFMKGGEQAILVHGDGDFLYHTE  
GNKHNGKGPYTRHTPEQLVDYLDKNNIVDLTQGGDKPVHLLSCYKSSGAADKMAKYINR  
PVIAYSNKPTISQGLARIERKDFFLKSTYHSYDPRKIILGRTEKTVKPKTFRP

SEQ ID NO:24

P17-6r

LCYGHICLSGIPHRHIYIGSTYYGNRKSTVLYAAILHSVSLFYLLIAVFSASSAGYLTYG  
LSYHTISVQFLGLSHQIPLLLSTYDQSLNLLDYQYGD SGHRNLE

SEQ ID NO:25

P17-8r

SAQCIVGKVFRISMVISDIYYSTSLIIFQPDIIIRHIWMSVVYLCQLAWVSWVGKFECSMV  
FCPICECGVTGGDIAIDIISKILCDYAMAIFVCRAFRTVTFILVQPITGIVRVLFCTLQY  
SIQFHYISIC

SEQ ID NO:26

P18-7r

PSSLRTISLSKLLVTPHFILELSEVDLSKAFSPSSANAPRCVASLVPPLMADSANPAAPI  
PIETHPSIEDAFGEASSSAPLTIDVISDVTLAPNASAVVEVEAIAAAIPPAIAIIPPV  
AMVSSNPAIPMPIPVHACQLK

SEQ ID NO:27

P19-5f

AHCHIALFPCWHNPQYCCQHPDHHSNCHHQFKQEYPPSRQRRENITLTQLPIKHTGIEAG  
SQTNRKRQTCMFQRANESKVHQLGQNGRDRNFYWCDFILT

SEQ ID NO:28

P19-8f

PQSTPSSQNSRQLTPAESSQHQQKQSDHIEIMIPSEAPREYREQLHKATPARNRDVAPNP  
SVFDILRDYHWKNFSPVKAAKSSLTPHPVHQKAIPLNDQRNTSMKQSLKPEMRQKLY

SEQ ID NO:29

P20-1r

GKNCINDQGNLPDRYTQNCRPHLTDNPPYGTVERNPRQYQHADLFQMRKLIGQLQNP  
SGNNGFTQRQHWRIAIRSHKQCKNDHTDIEQCRSKSRHRKAVPCIKNCASQRSQRNOKDIRK  
RNSK

SEQ ID NO:30

P20-9r

NNTMNLKSLAAVSSMTMFSRVLGFIIRDAIIRIFGAGMATDAFFVAFKLPNLLRRIFAE  
GAFSQAFVPILAEYKNQOGDEATRTFIAYISGMLTLILAIVSVIGVIAAPWIIYVTAPGF  
TDTDPKFLVLRDLLRITFPYIFLISLASLAGAILNTWNRFSVPAPFTLLNVSMIIFALF  
VAPYCNPPVLALGWAVVAGGVLQLAYQLPHLKKIGMLVLPRIISFRDSAVVRVIRQMGPAI  
LGVSQGQISLIINTIFASFLVSGSVSWMYADRLMELPSGVLGVALGTILLPSLAKSFSS  
GNHEEYRKLMDWGLRLCFLALPCAVLALGILAEPLTVSLFQYGHFSAFDAEMTQRALIAY  
CFGLMGLIVVKVLAPGFYSRQDIKTPVKIAIATLILTQLMNLAFVGPLKHAGLALSIGLA  
ACFNASMLYWQLRKRDIFTPLAGWGIFLFLVVAIAVMVGVLAVLWVMPAWEQGNMAMR  
LLRLMGVVIAGAGSYFAVLALMGFRLKDFAHRLQ

SEQ ID NO:31

P21-7r

AIILIRDKLSRISFRQISGEGMFGYRSASPKIRFITDRMVRLVYERDAYRLAEYSENK  
DFLKPWEPTRDGSFYQPSGWTNRLNYIAELQRQATFNFVLLDSEREIMGVANFTNVVR  
GAFHSCYLGYSLAEKLQGGQGLMYEALQPAIRYMORYQRMHRIMANYMPHNHRSGNLLKKL  
GFEQEGYAKNYLMIDGVWQDHVLTALTDDAWGKVL

SEQ ID NO:32

P21-8f

WCAMSLVSQARSLGKYFLLEDNLLVVLGFFVVFPLISIRFVEQLGWAALIVGFALGLRQL  
VQQGLGIFGGAIADRFQAKPMIVTGMLLRALGFALMAMAHEPWILLSCVLSGLGGTLFD  
PPRAALVIKLRPHERGRFYSILMQDSAGAVVGALIGSWLLQYDFNIVCWIGASIFVLA  
ALFNAWLLPAYRISTIRTPIKEGMMRVIRDRFLYYVLTLTGYFVLSVQVMLMFPIIHE  
ITGTPTAVKWMYAIETAISLTLLYPIARWSEKHFRLEQRLMAGLFLMSICMFFIGWVNQL  
HTFLGLLCLFYLGVLVADPARETLSASLSDPRARGSYMGSRLGLALGGAIGYTGGGWLY  
DTGRDLNMPQLPWILLGLSLITIIYALHRQFNQKKIDPVMLGRH

SEQ ID NO:33

P23-1f

45

KGANMKRFFLGAALVLVGLVSGCDQFKDFSINEGLMNDYLLKKVHYQKKISIPGIANANI  
TLGLDSSQIGRQDPEKIELSTQAKVQLATLLGTIQADMKLTIKAKPVFDAEKGAIFVKGL  
EIVDYQTTPEKAAAPVKALIPYLNLSLSEFFDTHPVYVLNPEKSKAEAAASQFAKRLEIK  
PGKLVIGLTDK

SEQ ID NO:34

P24-4r

QVALQHGRRLGTITLFDNLLGLNQVMNEFSIVCRILGTLFNRAQDPVLQPLITMIAEGK  
LKQAWPLEQDEWLDRQQNSELSVMAADYHALFTGESASVAVCRSDYTDGEESEVRQFLT  
ERGMPLSDTPADQFGSLLAVSWLEDQAAEDEIQAQITLFDEYLLPWCGQFLGKVEAHAT  
SGFYRTLAIVTREALQALRDELESE

SEQ ID NO:35

P25-3r

DCMNIIFFHPSFNTDEWIQGIQARLPDAKVRQWVSGDQEPADYALVWQPPYEMLANRQGL  
KGIFALGAGVDAIFKQESKNPGTLLADVPLIRLEDTGMRQMQEYAITSVLHYFRMDEY  
KRYQEQLWNPIAPHNRKEFVIGVLGAGILGRSVIGKLMFEFDNVRCSRTSKQLDSVES  
FYGKEQLGDFLSGCKVLINLLPDTPTRGILNLSLFSQLKSGSYVINLARGAQLVEQDLL  
VAIDKGYIAGATLDVFAEEPLSNMHPFWTHPRINVTPHIAANTIPEAAMDVICENIRRMV  
QGEMPTGLVDRVRGY

SEQ ID NO:36

P26-0f

KTSQGFTSTTCSNGNVLKICGLITPCSSLIQRTYPNNMTIGIFSKESTAKNFGMGFLYYF  
DLRVLSPPFKAPINIFTGWQHNTNFRKSRNSTIRLCSSTPNSKQYFTTSRKCHITGAGKY  
RFSIENCFIKSG

SEQ ID NO:37

P27-0r

YSAGCSTVLKSSLNLQCDTFNCESFVMLTLNFSTSVNAKPSHIWAHYVDFDLRKKWEVDL  
EYFQFEGEVKTQYGRMILSGMPEIRFYLSNIEVNKEFTDQVNLPQMGLTFRHQIITDE  
NNMACRVQVTVSFEPDANIPAVQAESFFKQGTQDLVESVLRKSVVETVSPKPNLQLVYV  
SDIESSTAFYKTIFFNAEPIFASSRYVAFAPAGGEVLFAIWSGGAKPDRAIPRFSEIGIMLP  
SGKDVDRCFEWRKNPEIKIVQEPHTEVFGRTFLAEDPDGHIIRVCPLD

SEQ ID NO:38

P27-8r

KGNQITMILYKGSKNYLFNQLNYDSCVLLLEVDES VN LNGWDELSRAQRLLFLMEILRRYH

46

FPVQGVLAQKLNISLRTLYRDIASLQAQGAIIEGEPGIGYVLRPGFVLPPLMFTQNEIE  
ALALGANWVAKRADPQLKESANNAISKIAAVIPAELKQMLEASSLLIGPAATAVQPVVEI  
QQIRQAINTRHKITLAYLDIKDIPSERTIWPFPALGYFENISIVIGWCELREEFRHFRSDR  
IMRLKIENQCYPRSRQVLLKEWRAMEKISR

SEQ ID NO:39

P27-9f

RKMTIYDLKPRFQNLRLPIVIYLYKQGITANQVTLTALFLSIFAGSLLSLFSPHLYWLL  
PVFLFIRMALNAIDGMLAREHNQKSHLGAINYELGDVISDVALYLPFCLLPDVNSLSLLI  
ILFLTILTEFIGVLAQTIGASRRYDGPIGKSDRAFIFGAYGLIIAIFPLALGWSISLFAF  
MIILLLVTCYQRVVKALREIRLAEQSHSK

SEQ ID NO:40

P28-5f

GVMNTPQLDQRIAEHYFTTSDNASLFYRYWPQQANPDRAIIIFHRGHEHSGRIQHVVD  
GLDLPDVPMFAWDARGHGKTEGPRGYSPMGTSIRDVDEFVRFIATQYGIAMENIVVIGQ  
SVGAVLVSAWVHDYAPKIRAMILAAPAFDIKLYIPFATQGLQMQKARGIFFVNSYVKAR  
YLTHDETRIASYNSDPLITREIAVNILLDLYQTAERVVKDAAITLPTLLFISGSDYVVN  
KKPQHGFYQQLNTPIKEKHVMDGFYHDTLGEKDRHLVFDKIRVFIERIFALPRYQHDYSQ  
EDTWSHSADEFRTLSTSLPCLCPKKLSYQLMRKVMSTHWGRTSEGVCIGLKTGFDSGSTL  
DYVYRNQPGKGILGRILDKHYLNSIGWRGIRQRKIHIEMLRHAIRSLREQNMPVHMVD  
IAAGHGRYILDAINDFSKVDSILLRDYSEINVNQQAYIEERDLTDKIRFIIGDAFNAES  
ISSITPAPTGLIGVSGLYELFPDNNLLRNSLRGFADVMTENGYLVYTGQPWHPQIEVIARV  
LSSHRDSQPWIMRRRTQGEMDALVEAAGFEKLYQLTDNWGIFTVSIKRVHR

SEQ ID NO:41

P28-5bf

HHNSINVLLKNIISPHQIMLLCFTVTGHNNRPIQTERSLFTVVMSTQDVSSMSLTDSIC  
LMFLCSRGMPPVDTVRQKGRAVTAHPWERRFVMLMNLSDLLPLSTASPWKISWLSARVSE  
Y

SEQ ID NO:42

P30-3f

INKYKMEHHMHSSLDSSRRRLWLTGVIWLLFLAPFFFLTYGQVNQFTAQRSVDGTVMFGWE  
HNIPFWSWSIIPYWSIDLFGISLFICTHRREQWLHGWRMTASLIACVGFLLEPLKFSF  
SRPTTEGLFGWLFNQLELFDLPYNQAPSLHIILLWLLWLRYSAYVSGYWRGLLHWSVLI  
ALSVLTTWQHFFIDVLTGFAVGVILSYLLPVSYRWRWQPNQDRYARKLFGYYLTGSALFA  
LIASLLGGSEFWILLWPAVSLLMIALGYAGLGSSVFQKQPDGRMSLSARWLLAPYQLGAWL  
SYLWFRKRSAPFNHITEGIIIGSLPCQPVTAVSVLDITAETHRRSDARTVNYVCQPDIDL



47

LPLAPEALQSAVCTLDKLRQQGDVVFVHCTLGLSRSAMVVAWLLKQHPEYDINTVVAILR  
KARPHVTFRQTHLDALSQWAKGYL

SEQ ID NO: 43

P31-6f

QSCVKPDRMSRSDKHIWMPCLNGQKATYNGEHNMQPENLISKVVIATLKSURFISTLSAF  
SILIATAMLIADFNTALNNIALYAVLLFTTLYCQYYCWRTWLDCHYFQILNSSPEKSAE  
FDQTLILLIFNKLPQSRQNDRFNGAIKLLKKATIGLILQWILFFLLTLKYSA

SEQ ID NO: 44

P32-3f

MNTRKINGIRPFSAFIDSLKESYSFPRFIRDIIAGITVGVIAPLAMALAIGSGVAPQY  
GLYTAAGIAGIVIAMTGGSRYSVSGPTAAFVILYVPSQQFGLSGLLIATLMSGVILIVMG  
LARFGRLLIEYIPMSVTLGFTSGIAITATMQVQNFGLKLAHIPENYIDKVVALYQALPS  
LQLSDTLIGLTTLLVLIFWPKLGVKLPGLPALIAGTAVMGAMHLLNHDVATIGSSFSYT  
LADGTQGGGIPPILPQFVLPWNLPDTHSLDISWNTVSALLPAAFSMAMLGAIESLLCAVI  
LDGMTGKKHHSNGELLGQGLGNIAAPFFGGITATAAIARSAANVRAGATSPIAAVVHSL  
VLLTLLVLPLMSYPLAAMSAILLIVAWNMEAHKVVDLIRHAPKDDIIVMLLCLSLTV  
LFDVRRDRHYRHCAGITPVYAQNCQYDSNQHVIFNKRGERVIGRTN

SEQ ID NO: 45

P33-4r

ESIGAKTSNVNNTSRECTTAAIGEVAPARTLAAERAAAVAVMPPKGAAILPNPWPSSS  
PLEWCFFPVIPSRITAHSNDIAPSMAIENAAGSNADTVFQLISRECVSGKFHGRTNWGR  
MGGMP

SEQ ID NO: 46

P33-5f

LSYSIWSVAITIGIVLASLLFMRKIANMTRISTSSLTSAEKGLLVVRINGPLFFAAAERI  
FAELREKSADYQTIIMQWDAVPVLDAGGLHAFQGFVRELKKEKHIVVCDIPFQPLKTLAR  
AKVMPIEGELSFYATLPKALKEMAVDYTPVCASSEKIQQQ

SEQ ID NO: 47

P34-3f

CMSDVENDRRTLGSLLDTEAQHVNHQIVITKVAATVTQDHLVIAAFFEFFNNIAHLPR  
NKLWFFNINHSTGFRHFRNQIGLAGKEGWKLNHIIHIRDWLSLCRLMHVSDNFHAEGLFQ  
FLKDFHPLFPWPPTIRADRRTVSLIKRRFKNIRNAQFLCHGDIVLTNPHGQIP

48

SEQ ID NO:48

P35-0r

LSCIRFIFLLIQIYLPLTREGISMQQKVVNIGDIKVANDLPFVLFGGMNVLESRLAMR  
ICEHYVTVTQKLGIPYVFKASFDKANRSSIRSYPGLEEGMKIFQELKQTFGVKIITDV  
HEPAQAQPVADVVDVIQLPAFLARQTDLVEAMAKTGAVINVKKPQFVSPGQMGNIVEKFK  
EGGNDQVILCDRGSNFGYDNLVVDMLGFGVMQQATQGAPVIFDVTHALQCRDPLGAASGG  
RRAQVAELARAGMAVGIAGLFLEAHPDPENAKCDGPSALPLAKLESFLMQIKAIDDVVKN  
FPELDTSK

SEQ ID NO:49

P35-8r

VDGIKMKPIVNYEFNNTPLIDGIILVSKIIRPDFPQTLVSEQLTALVEEARQRLSSITDS  
KVKLDSLLTLFYREWKFGGANGVYCLSDTLWLDRLHLSRQGSFVSLGTVFTHIAQALGLS  
VQPVIFPIQLILRIDLLDQPTWFINPLNGDTLNEHTLDVWLKGNIGPTVRLKKQDLQEAD  
NVSLVRKITDTIKVSLMEEKKMELALKASEVVLTDFDPPYEIRDRGLIYAQLDCNHIAV  
SDLSYFVEHCPEDPISEMIKMQINTIEQRLIVLH

SEQ ID NO:50

P36-7r

SDRRQTGYAYSADHYRISGRSTVCTVRAGLMNYQCWLQHAATQLSESDSPKRDAEILLGY  
VTGRSRTYLIADFDETLISSEELHQLDSSLVRRIQGEPVAYIIGEREFWSLPFAVSPATLI  
PRPDTECLVEKALELLPDSPARILDGTGTGAIALALASERNDCYVTGVDINSDAVMLAQ  
HNAEKNAGKLAIHNVNFLQSEWFAAVGNQQFDMIVSNPPYIDERDPHLQEGDIRFEPATA  
LIAAQNGMADLQAIVGQARHFLSPNGWLLLEHGWKQGTVVRNLFLEKGYQQIATFQDYGG  
NERITIGRWKNKNETHS

SEQ ID NO:51

P37-5r

VEMREMAQEELKEAKIRNEELEQQQLLLLLPKDPDDERNCFLEVRACTGGDEAAIFAGDL  
FRMYSRYAEARRWRVEIISANEHEGGYKEVIAKVSGDQVYGHKLFESGGHRVQRPETE  
SQGRIHTSACTVAVMPEIPEAELPDISPGLKIDTFRSSGAGGQHVNTTDSAIRITHLPT  
GIVVECQDERSQHKNKAKAMSVLAARIRAAEMRKRQEVEASERRNLLGSGDRSDRNRTYN  
FPQGRVTDHRINLTLYRLDEVIEGKLDMLIQPIIIEYQADQLSALSEQD

## Claims:

1. The use of a bacterial strain to control a target nematode, characterised in that in nature the bacterial strain is associated symbiotically with an entomopathogenic nematode.
2. The use according to claim 1, wherein the bacterial strain from nature is directly employed to control the nematode target, or is employed to give a recombinant bacterium employed to control the nematode target, or the natural or recombinant strain is employed as a source of a nematode control agent to control the nematode target.
3. The use according to claim 1 or 2, wherein the target nematode is not the same as the nematode with which the bacterial strain is found symbiotically in nature.
4. The use according to claim 1, 2 or 3, for control of helminthiasis in a human or a domesticated animal or the control of plant pathogen nematodes.
5. The use according to any preceding claim wherein the nematode to be controlled comprises one or more of *Haemonchus*, *Trichostrongylus*, *Ostertagia*, *Nematodirus*, *Cooperia*, *Ascaris*, *Bunostomum*, *Oesophagostomum*, *Chabertia*, *Trichuris*, *Strongylus*, *Trichonema*, *Dictyocaulus*, *Capillaria*, *Heterakis*, *Toxocara*, *Ascaridia*, *Oxyuris*, *Ancylostoma*, *Uncinaria*, *Toxascaris*, *Parascaris*, *Aphelenchoides*, *Anguina*, *Bursaphelenchus*, *Criconemella*, *Meloidigyne*, *Ditylenchus*, *Globodera*, *Heliocotyle*, *Heterodera*, *Pratylenchus*, *Radopholus*, *Rotylenchus*, *Tylenchus*, *Trichodorus*, *Xiphenema*, and *Caenorhabditis*.

6. A composition for the control of parasitic nematodes which comprises as an effective agent a species of bacterium which is a symbiont of an entomopathogenic nematode, or an engineered bacterium, or a nematode control agent derived from a natural or engineered bacterium.
7. A composition according to claim 6, wherein the bacterial species is of the genera *Xenorhabdus* or *Photorhabdus*,
8. A composition according to claim 7, wherein the bacterial species is of the genus *Xenorhabdus*
9. A composition according to claim 8, wherein the bacterial species is of , the species *Xenorhabdus bovienii*.
10. A composition according to claim 8, wherein the bacterial species is:  
*Xenorhabdus bovienii* strain H31 deposited with NCIMB under accession number NCIMB 40985;  
*Xenorhabdus bovienii* strain I73 deposited with NCIMB under accession number NCIMB 40986; and  
*Xenorhabdus* strain C42 deposited with NCIMB under accession number NCIMB 41004.
11. A composition according to any of claim 6, wherein the nematode control agent which is derived from a symbiont of an entomopathogenic nematode or from an engineered bacterium has functional activity against a nematode, and is a peptide.
12. A nucleic acid encoding a peptide of claim 11.
13. A nucleic acid according to claim 12, which nucleic acid comprises a

51

natural nucleotide sequence or a degeneratively equivalent sequence, or a functional variant thereof.

14. A nucleic acid according to claim 13, which is a homologous variant encoding a peptide which is a nematode control agent, the nucleic acid having 70% or more DNA sequence identity and/or the peptide having 70% or more amino acid sequence identity.
15. A nucleic acid according to claim 13, which is all or part of cosmid cHRIM5, in particular p 13-1f or p 14-2f, and variants thereof.
16. A nucleic acid according to claim 13, 14 or 15, wherein the variant has a sequence which is a derivative by way of addition, insertion, deletion or substitution of one or more nucleotides.
17. A nucleic acid according to any of claims 12 to 16, which is part of a longer sequence and the nematode control agent is expressed as a fusion protein.
18. A nucleic acid complementary to a nucleic acid according to any of claims 12 to 17.
19. A nucleic acid for use as a probe or primer having a nucleotide sequence of at least 15 nucleotides, which sequence is present in a nucleic acid according to any of claims 12 to 18.
20. A method for identifying or cloning a nucleic acid according to any of claim 12 for a nematode control agent, which method employs a nucleic acid probe according to claim 19.

21. A method according to claim 20, which comprises the steps of:
- (a) providing a preparation of nucleic acid from a bacterium,
  - (b) providing a probe,
  - (c) contacting nucleic acid in said preparation with said probe under conditions for hybridisation of probe to any said gene or homologue in said preparation, and,
  - (d) identifying said gene or homologue if present by its hybridisation with said probe.
22. A method according to claim 20, which comprises the use of two primers to amplify a nucleic acid encoding a nematode control agent, at least one of the primers having a conserved nucleotide sequence of at least 15 nucleotides.
23. A method according to claim 20, which comprising the steps of:
- (a) providing a preparation of nucleic acid from a bacterium,
  - (b) providing a pair of nucleic acid molecule primers, at least one of which is a primer,
  - (c) contacting nucleic acid in said preparation with said primers under conditions for performance of PCR,
  - (d) performing PCR and determining the presence of absence of an amplified PCR product.
24. A recombinant vector comprising a nucleic acid according to any of claims 12 to 17.
25. A host cell containing a vector according to claim 24 capable of replication.
26. A host cell according to claim 25 which is a plant cell.

27. A method for producing a transgenic plant which comprises the step of regenerating a plant from a plant cell according to claim 26.
28. A plant produced according to claim 27 which is a crop species which can be maize, cotton, soya, rice, *Brassica* species, tomato, potato, sugar beet, barley, soybean, peanut, onion, rye, wheat, corn, banana, raspberry, bean, or a decorative or other plant.
29. A method of producing a peptide nematode control agent comprising causing or allowing expression of a nucleic acid according to claim 12.
30. An antibody or fragment thereof, or a polypeptide comprising the antigen-binding domain of the antibody, capable of specifically binding a peptide of claim 11.

1/14




Fig. 1



2/14

Molecule: Sequence Data  
Description: chrim5ed2.seq, 37544 bps DNA

```

1   ggatcagctg gtttgccacc gggatcccca ccgttgatgc cctgttagcg gaggaattct
61  ggacagggtg caaacaggct ttcccgcctt ttacctgccg ttttacgcat tttagacctg
121 ataaagaaca ggtatgtact ctccgtccct cgacggaaga ggcttatttg ctgcaccggg
181 cgttgcaagg ccaaccgtta cacagtggag tctatggcga cgatggcacc gcgcaggcgg
241 gtatccccta taccgttatg gacagtccgc cccagggttcg gcttctgacg ggtttaccgg
301 gtaactcacc gacagtctgg ccgagtgtga ttgaacagag aacctggcag tacgaacgga
361 ttgccgatga tccgcaatgc catcagcagg tgggtctgaa cagtgaccgc tacggttttc
421 cacgggagac cgtcgacatt gcttatccgc gccgccctaa gcctgctggtg tcaccttacc
481 cggtatcgct gccggcgacg ttattcgaca gcagctatga tgagcagcaa cagcaattgc
541 ggcttaccgg gcaacggcaa cattaccatc acctgactga cactgaacat caagtgtctg
601 gactgcctga tgtcatgcga agcgtatgcct ggggctatcc ggacgcggcg gtaccccgtg
661 aagggtttcac cctggaggac ttgctggcag agaacagtct gatagcccg ggcaacggcg
721 tgacctatgt agggcatcaa ccgctggttc ataccgggaa gaccggaaac gaagaaaaac
781 cgaccggaca ggcgctggtg gcttataccg aaaccgcggg ttttgatgaa ttggccttgc
841 aggcctttta ttggcacttg agtccctgaag ccctggaaaa gaaattaatc gactctgggt
901 atttgtctgt tccacgcccc ttcaataacc gtgcggaatc ggcggtctgg gtcgcccgct
961 agggatatac cgattacggc gggctctgag cgttttaccg tccgttgggt cagcggacga
1021 cgggtgcagt tggcaaaaac acctccatt gggataccca ttactgtgct gtcgtccgta
1081 tgcaggatgc ggcgggtctg tacacggatg ccgcctatga ttaccgcttc ctgacccccg
1141 ttcagataac cgatgccaat gacaaccagc aacatatcac actgaccggc ctggggcagg
1201 tatcatccgg ccggttcttg ggcactgagg aagggaactc gcagggttat accccgctg
1261 aagaccgccc atttacgcca ccgtcctcag tggcggaagc cctcgacttg aaaccggatc
1321 ttccggttgc caactgcatt gtttatgcgc cgctgagttg gatgccgttg gcgcacacct
1381 atcaggaata tatagccggc ttacgtgggc aggcactgct tgacgcgggg gtagtgacgg
1441 aagataaagg ggtttgtgcg ctgggtttcc gtcgttgggt gcaacgtcag gtcattgtgc
1501 tgaatgggca ggcattggcc gattcacggg aaccctcca tgtcctaacc ctggccactg
1561 accgttatga cacggatccc gatcagcaac tgcgcaagag cgtcacctac agcgcggctg
1621 tcgggcggtt attgcaaaat gcagtctacc atgcgccagg agaagcctgg caacgcggcg
1681 cagatggcag cctgatcacg gacgcgaaag ggcgcgccct cgtagcccat acggcaaccc
1741 gctggggcgt ctcaggcagg acagagtatg acggtaaagg gcaacccgtc cgaacctacc
1801 cgccattctt cctgaatgcc tggcagtacc tcaagtatga cagtgcacgg caggatttaa
1861 atgccgatac acaccgttat gacccgctcg gccgggaata ccagggtaga accgcaaagg
1921 ggtatctgcg ccaaaaatcg ctgacccccct ggtttgtggt gaatgaggat gaaaacgaca
1981 cgctctctta attaacacga taacgttaaa taatcacacc ttccgtgccg gtacggggga
2041 aggttaacta ctctatcaag gaaagggttt atgactgtaa acagaggcga taacctgcac
2101 caaaaaacgc cggaagtgcg ggttctggat aaccgggggc tgaccgttcg cgagctccgt
2161 tatcacggcc acccaaatat ccccaaccac accgatgaac ggtacacccg ccatcggttt
2221 actctctcag gtcagtggc gcacagcatt gaccgcgtc tgtttgactt acagcagacg
2281 gataatacag tcaatcctaa catgatattt gatactgcac tgaccggtga ggttgtgcgc
2341 acaaggagtg tcgatgcggg taatgatctg atattgaatg acattaccgg ccggcctgtg
2401 ctggccatca atgcaaccga agtcactcgt acgtggcaat atgagaatga cactttacc
2461 ggacgccccg tcagtatcac agaacagcct gctggcgaaag caggccgtat cacagagcgt
2521 tttgtctggg caggaacagc tcaggcggag aagaacagca acctggccgg acagtgcgtg
2581 cgtcactatg acaccgcccg actgaaccag acggacagta ttgcgcttaa cggcataacc
2641 ctgtccgtca cgcgccagct gctgcgggat ggtacggacg cagactggca gggaaacaat
2701 gaaccgcctt ggaacgaccg gctggcaccg gaaaacttca ccacctgag cacggcggtg
2761 gccaccggcg cggtagtgac caccaccgat gcggccggtg acctgcagcg tgtggcgtat
2821 gacgtagcag gcctgctgac tggcagtttg ctgcggcttg cgggcgggac agagcaggtt
2881 atcgtgaaat ccctgacgta ttccgcccgc ggtcagaaac tgcgcgaaag gcacggcaac
2941 ggcgtggtga ccacctacac ctacgagccg gagaccagc gccttgttgg cataaaaaac
3001 aaacgcccac agggacatgc acaggggagc aaggtgttgc aggcctgcg ctatgagtag
3061 gaccgggtgg ggaacgtggt gaaagtgcag aacgatgcgg aggttaccgg cttctggcgc
3121 aaccaaaaag tgggtccgga gaacacctat gtctatgaca gcctgtatca gctgggtcag
3181 gccaccggcg gcgaaatggc caatatcgtt caacaaagca cgctgttacc cactccttcc
3241 ctcatgtata gcagtaccta cagcaactat tccgcacact acaattatga ccgtggggag
3301 aatctgacgc agatcgtcca cagtgcctcg gccactggta acagttacac caccggacatc
3361 acggtctcag atcacagcaa ccgggcagtg ttggacacgc tgacggatga tccggcaaa
3421 gtggtatgac ttttactgac gggcgggcac cagatcccac tgcaaccggg acagaacctc
3481 ctgtggacgc cgcgcggtga gctgctgaaa gtggcaccog ttgtacgtga cgggcagatt
3541 tccgaccagg aatcctatcg ttatgatgcc gccagtacgc gcatcatcaa aacccacgtt
3601 cagcagacgg ctaacagctc gcaggcgtag agcacgctgt acctgccagg gctggagcgg
3661 cacaccacaa taaatggcac gacggtgaaa gaggtgctac accttatcac gataggcgag
3721 gcgggcccgt cgaggtgctg ggtactgcac tgggagaacg gaaagccggg tgccatcagt
3781 aacaaccaga tgcgtacagc ctatgataac cttatcgcca gcagcggtct ggaaggtggac
3841 ggtgacggac aaattatcag tatggaagaa tactaccctg acggggggac tgcggtgtgg
3901 acggcgagga gtcagacaga ggtgatttac aagactgtgc gttactcagg caagggacgg

```

Fig. 2

3/14

chr1m5ed2.seq

```

3961 gatgcaacgg ggctgtatta ttacggctac cgggtattacc agccgtgggc ggggagctgg
4021 ctgagtgccg acccggcggg cactatcgac gggctgaacc tgtaccgcat ggtcaggaat
4081 aacccggcga cactggatga taataacgga ctacgcccgc gaaatagata tgtatttttt
4141 ccatattatc atgaggacag gatatttcgt ctggcaagcg cgaatgttta cagaacggaa
4201 cataataaat ctgacatcat tgcggttgta gaagataaag cattagatag taactatttc
4261 accaatagta ttgagcagtt ttcaaaaaa cctaaaggaa aagcaatcct gaaaggatcc
4321 cctgatatta aagaaaggct actcaataat atagtacatg acctgagcaa tatgcaggta
4381 ggagatcagc tgtatgtaaa cgctcatggt cattctgcga aaccattttt ttactccgat
4441 tcgggatatt caaaaatcat catggaacag ctccaagag gggctaacta tgtagtataa
4501 gatttagtaa ataagtttaa attaccagaa aatgcaacaa tcaagataag tacgtgtcat
4561 agtgctgaag gtaaggcgcg tcatattacc gtcacatcca ctggaacaaa tgaaaaaatg
4621 agatacagtt ccattataga gaacaaaggg gaattttccc ggtctttagc aggtaccatg
4681 gaaaatgagt taattaaact acagccgggc agagttcgcg ggaatgtata tggttatcct
4741 ggccgcgaca cgttctatgg tgctaaaaat gaaaaagtca tacacctcaa agatggcaat
4801 ctgacaactg gcgttcatag aggcaagtta tcaatgttta ctaaaaaaga ccgattttca
4861 gaaaaacatt ttgggttaaa ggtaaaaaa agtctgacgc gaacaaactt taccggcagc
4921 ggcgataaaa aacaaatttc aaaccgcatt taaatacggc cagccagcgc gtgctcaaaa
4981 cgacctgacc tgtcacgtcg ttgcttcccc gttacaccgg caggtcggac gcctgctggt
5041 cttttaccgg ttttcaactg atattgaccg gcataccatg agcatcacga ccaaatgtgg
5101 ttctgtcgca ttaacggcga gttaatcaga gatcccgcca gtggtgtgtt ttataactgc
5161 caatcgataa aattgttccg ccgccgataa acattcacct tcctcttgcg aatacgggtc
5221 ttcccgagcg atggcgacga gttctatccc tgccagtcac gtttgtgccc ggcgaacga
5281 tttaaaacct aacattggtc gtatccgacg tttagcatgg cgatggtcct gctcaatgcg
5341 gttattcagg tattttatct gccggatttc aatccccctg tgaggctcac cttccgcatt
5401 gaggaggggt agcycggcgg tattggcccc acttttatcg atagtacca cagtoggctc
5461 gcccgtcggt atcaaccgac cggtaaagggt atttccactg gcctttgact ttaatgtatg
5521 tttcatccat tcgccatcgg gagcaacag gctttttgcg ttcccgaaaa gccttgccta
5581 gcagggttac caaacgtaac acccagcgag gtatcgtggc gtggtcgacg aagatcccc
5641 gttttgcatc catttctctc agattacgta agctcagcgc gtaggctaga gaccaacgga
5701 cacattgggc catgatatcg acaggataat ggaggagttt gaatgcgttt cggatcaggg
5761 acatcactct ggaactcact aaaaacagga gagcttacct gatattacgc taatcgaca
5821 gaacctatct tatcgattga ctgcataaat agtcatcatt cccacctcgg tacaaaaact
5881 ctctgttaat gcgacagaac ccttttttcc atattgcctt gcattgcctg tagttgcctt
5941 aaattccttt aaatttccta tagttgctta aaatatccat aatattgcct gagccgattg
6001 gcgaagcgcg tcatattgac cggtcggcga ggccgctcag caaatccatc cgctcgtaga
6061 aaatcgccac aattaaacgca ggccgatttt cacgcggcag acaaaacaca tagtgacgtt
6121 cacaatgcgc catgcgcaat gccggaaga gccgcgtcat gtccttaaaa gagccttggc
6181 cgacagcaag ccgcgcaatg cctgttcca gcgcggtgat gtagcggcgc acctgcgctg
6241 caccocattg ctgctgcgta tggcggatga ttgctcgtaa atcgccctca gccgccttcg
6301 tgagtacata gtccatcagg cgcggtcgct cccggcaagt tcttcatcga gaatttcggc
6361 gatacttttc ccgcacccct tcccctccat ccttccattg atgcgtgtat ccgcaaggc
6421 tttcagctcc tgcctatgct gatcgctatc gctcattccg ggaacaggc gttcagtgct
6481 gtattgcttg atcgtcttgc cttgcaaggc agccaatgcc ttcaggcttt ggtgctgccc
6541 gtcggtgatg tcaatggtca gacggctcat ggttttctcc ttatcggtta tacacaaacc
6601 cacattagca catataatgg tttgtggcta ttattacac agggggtcag atatcgtttt
6661 gtccggcaaa cattcgtttg tcggtcattg tcattttcag aagacgactg caccaatata
6721 tagggattag agcctggtgt gcatatgact ggcactgttg caaagtttga gtcactgatt
6781 atgctaagtt aaatgtttcg taacgggagc tcaccgtatg aatgtattca aaggccgtca
6841 ttttacaggc attatcattt tgtgggcagt tcggtggtac tgcaaatagc gcatcagcta
6901 ctgtgaactc caggaaatgc tcaactagcg tggcgtcaat gttgaccata cgactcttta
6961 tggttctgtt gcaataagta aagcctcggg aatatctcac ttatttgttg ataagagtgt
7021 cgtcaatgct gttgatacga aaagccttca tgacacccat gcataagaga agcccatcat
7081 taccaagggc ggtatttcctg ccgctgagg gtttctgctg attatccctt tctgcctttt
7141 cccgcattct gttagaatgc ccacttctta attgtttcca aaactaatgt tgttatgtca
7201 aatcaagatc ctcataataa acgggacagt ctgttctctg ccccaatcgc caatttaggc
7261 gactggagtt tcgacgaacg tttgcccga gtccttctcg atatggtgaa acgttccata
7321 cccggttatt ccaatatcat ctccatgata ggtatgctgg ccagtgcctt cgtgacgcca
7381 ggtagccaaa tttatgatct cggttgctcc cttggggcgg caactctgtc catccggcgc
7441 agtatcaatg ctgataatg ccggattatc gctatcgata attcaccagc catgatcgaa
7501 cgctgcccgc gccatattga ttctttcaag gccagtacac ccgttgagggt gatcgaaacg
7561 aatatccttg ataccgacat tcaaaatgcc tcgatggtag ttttgaattt cacattacaa
7621 ttctgcacc ctgatgatgc ccagaaaaa ttgaagaaaa tttacgcagg attaaaaacc
7681 ggaggggttt tggttctgtc tgaaaaattt aattttgaag accagaaatg tggcgagtta
7741 ctattcaata tgcacatga tttcaagcga gccaatggtt atagttagctt ggaagttagc
7801 caaaagcgca gtagtgctga aaatgtcatg cggacagatt ctgttgacac ccaataagtca
7861 cgcttaaaag aagtcggttt ccagcatgta gaagtctggt tccagtgttt caatttcggt
7921 tcattattgg caataaaagg aactgaacaa tgatcgattt cggtaatttt tatcaattga
7981 tcgccaagca ccactaaac cattggctgg atagcctgcc agcacaattg agccactggc
8041 aaaaaacatc acagcacggt cagttcagct catgggtaaa aattctggaa aatttgcctg
8101 agatcaagcc aagccacctt gacctgaaaa atggtgtcat tgcgattcat gagccggatc
8161 tgtcaaaagg tgaaaaagct cgcctccaca atatcctgaa aatattgatg ccatggcgaa
8221 aaggcccttt ttcatgtgat gacgttgaaa ttgataccga atggcgctct gactggaaat

```

Fig. 2(i)

SUBSTITUTE SHEET (RULE 26)

4/14

chrim5ed2.seq

8281	gggagcaggt	gctgccccat	atttctcctt	tagaaggaaa	aaccgtactt	gatgtcggct
8341	gtggcagtg	ttatcacatg	tggcgcatgg	tggcggaagg	cgctcaattg	gttgtgggta
8401	tcgatccaac	ccaacttttt	ctctgtcaat	ttgaagcgat	cagaaagtgt	ttggggaaaca
8461	atcaacgagc	ccacctttctg	ccattgggca	tcgaacaatt	acccgaactg	caagcctttg
8521	atacggattt	ttcaatggga	gtgctctacc	accgcccgtc	acctcttgat	catctgtggc
8581	aactgaaaaa	tcaactgggtg	tctgatgggtg	agttagtgtc	ggaaaagtta	gtgattgagg
8641	gtgatgaaaa	tcagtgccctc	attccgggtg	aacgctatgc	acaaatgcgg	aatgtctact
8701	ttattccctc	ggccaagatg	ctgaaagtct	ggctggaaaa	atgtgggttt	gtcgatgtca
8761	gaattgtcga	tcatgcccgt	acaacacctg	atgaacagcg	ccggacagaa	tggatgaaga
8821	ccgaatcact	ggtagatttc	cttgacccat	cagatcacag	taaaacaatt	gaaggctacc
8881	ctgccccatt	gcgtgctgtc	ctcattgccc	gcaaaccata	atattgaata	aatattaatg
8941	agtgaactgt	ccaatatggc	aattcactca	ttaagttcta	agatttcgct	ttccttatga
9001	cgcaagcgat	atcacatcta	ccgcttaatc	aggctcatca	ctcccttcac	cgactcaact
9061	aactcaccat	caacactgta	gtgagaatat	tcactctacat	cacgatcgtc	cgaaactatc
9121	gccacccccta	cctttcggtta	cttcatggta	gaaggtacaa	ttttaccgcg	cgagctatga
9181	acttccgtca	ttccggcttc	cagaaactta	ctgatattac	tcaccctgac	acccgcggcg
9241	ggcataatta	tcggcccacg	gtggctttgc	atcagctctt	ttaacagcgt	cagcccacgt
9301	tcagcattct	gctgttgccc	tgtgtttaa	atcagctgca	ctccaagctc	tgtcagttgt
9361	tccaacgcaa	catgcccatt	aaaacacata	tcaaaagcgc	gatgaaaagt	aacagccata
9421	tttcccgaca	gtgacatcaa	ctgcccgcata	cggagtctgt	caatatggcg	gttttcgctc
9481	aaaatgccaa	aaacaatgcc	ggggaaacccc	atatcacgga	tacgagcaac	gtcatttttc
9541	atggcttcaa	aatccatggt	gttataacag	aagtctcccc	ctcttgcccg	cacaatggga
9601	tgacaggaa	tagataacgc	ctgtaacgac	tgttgaatg	ccccaaaact	gggtgtcaat
9661	ccgccttcca	acgggcttgc	gcttaattcg	attcggctcag	cgcccgcat	ttgtgcaacc
9721	agcgcacagc	ttatgtcata	acagcaaat	tccagcttta	tcattaaaaa	gcctccgaa
9781	tacgaattcg	tcaacaagtc	atcatttaac	ctaaaaactac	tttattagt	aaactattaa
9841	ctatgacaac	taacttatct	taatgacatg	ttggaaatca	caaggtcaga	attttttact
9901	ggaacagcat	gataaaaaag	tcatTTTTgc	cggctatacc	tcacttttga	caattctctc
9961	gatacaaaaa	ggatgatatt	tgatcgtgat	ttcacatca	gtgacagcca	aatccgggtt
10021	cggcaaccgt	tcatTTTTtc	cttttggatg	actctccttc	atccgaaaat	tatctggtaa
10081	aggttgaggg	aataactttt	tagcttcaca	aataagttgc	tctggtggta	caggcagcac
10141	cagttcgaca	tgttcccaac	cttgggtggc	atagtgtttt	tggctgggat	aaggcaattc
10201	cacgcaatca	attttccagt	caagtagtac	tattggctgg	ttcagatcaa	ataagcagat
10261	cggacggcca	ttatgtatac	tttcagatat	taactgacca	catcgagaa	agcccttacg
10321	ccaacgatcg	gctattttac	tttcattaca	acgcagggaa	atatggtctg	ctgaattatg
10381	ttcgaagtgt	aagccaagat	gcccttcaaa	ttgcttaagt	ttttgctcaa	atccggctaa
10441	atcagccact	aaatcctgta	actcagaaat	ttttgaaaaa	tgagacattt	cttccccatt
10501	aaataaacgg	taaaaattgc	gttccattaa	tgtgacataa	atcacaaatc	gtctattttt
10561	gccgaaatat	cactcagtaa	gcgactaatt	gaagttggca	taacgacgaa	tcgcttgaaa
10621	gacagggtaa	aaacaaaaag	taacaccacc	agaggtggct	gatggtagca	tgaggacccc
10681	cgaatatggt	ataaaccccg	ttattttctc	ataaccaca	cgcttaaaag	tattgcattt
10741	ccaaaatgca	taagctttcg	tgcgtaactt	aaggtaacac	ggtgaatata	cagggtattc
10801	tttcagaaaa	aatcagcaat	gcgctgattg	aagctggcgc	tccaaccgac	agtgaagctc
10861	acgtccgtca	atctgccaaa	gcacaatttg	gtgactatca	agcgaatggt	gtgatggctg
10921	ccgctaataa	ggtgggaata	cctcctcgac	aattggcaga	aaaagtcgtc	agccaactgg
10981	atctgcaagg	aattggcagc	aaagttgaaa	ttgcaggccc	aggtttttat	aatatttttc
11041	ttgataaagc	gtgggttgca	gcaaatatag	aaactaccct	gaaagatgaa	aaagtccgga
11101	tcaccccagt	ggaaccgcaa	accatcggtt	tcgattattc	cgcaccgaat	ctgcgcaagc
11161	agatgcatgt	tggaacacctg	cgctcaacca	tcattggcga	tgctgcggcg	cgtacccttg
11221	agtttcttgg	gcataaagtt	attcgagcca	accacgcttg	tgattgggga	accagttcgc
11281	ggatgctgat	cgcttatctg	gaaaaagatcc	agaaacgaaa	tgccaatgac	atggcattag
11341	cggatttaga	agctttctat	cgcgaaagcaa	agaaacacta	cgatgaagat	gaagagtttg
11401	ctattcgcgc	tcgtaactac	gtcgtcaaac	tgcaaggcgg	tgatgaatat	tgccgtaaga
11461	tgtggcgtaa	gctggtagat	atcaccatgt	cccagaatca	ggaaacttat	aaccgctgga
11521	atgtcacatt	gacagaaaaa	gacgttatgg	gtgaaagcct	gtataacgat	atgctaccgg
11581	gtatcggtgc	agatttataa	caacgtggaa	ttgccgttaa	gagtgatggc	gcgacagtgg
11641	tttaccctga	tgaattcaag	aataaagaag	gcgaacccat	ggcggttatt	atccagaaaa
11701	aagatgggtg	ctatctttac	accacgacgg	atatcgccctg	cgccaaatac	cgtcatgaaa
11761	ccctaaatgc	cagccgtgtg	ctttactaca	tcgattcacg	ccagcaccag	cacctgatgc
11821	aagcttgggc	aattgtacgg	aaaacgggtt	atatccagaa	atccatgtca	ctcgaaaccc
11881	acatgtttgg	catgctgctg	ggcaaaagatg	gtaaaacatt	caaaaaccgt	gcggcgccga
11941	cagtaagact	gtccgatttg	ctggatgaag	cgattgagcg	tgccgatacc	ctcattcgtg
12001	agaaaaaccc	agatatgcca	gaagacgaac	tgaaaaaagt	cgtggaagcg	gtagggattg
12061	gcgcggtgaa	atatgcagat	ctttccaaga	gccgtactac	agactatgtt	ttcgactggg
12121	ataatatgct	ggcctttgaa	ggcaaacacgg	caccttatat	gcaataacgc	tacacgcggc
12181	tgtcatctat	ctttaaacgt	gcggatatcg	atgaaaacag	cctgacactg	ccggtgatgc
12241	tgaatgaaga	acgcgagcag	gcattggcaa	cccgcctggt	gcagtttgaa	gaaacgat a
12301	ctaccgtcgc	ccgtgaaggt	acgccacatg	ttatgtgtgc	atacctgtac	gatctggccg
12361	gtctgttctc	tggtttctat	gagcactgcc	ctatcctgaa	tgccgatagc	gaagaactgc
12421	gccagagccg	cctgaagttg	gctctgctga	cagcgaaaaa	tttgaagcaa	ggtcttgata
12481	ctctgggtat	tcagactgta	gaacgtatgt	aataatcttc	tacaaagctg	aaaactggcg
12541	tgatattatt	ttattacgcc	agttttttcc	tttcttctat	tctgtcaaaa	attaccaatc

Fig. 2(ii)

SUBSTITUTE SHEET (RULE 26)

5/14

chr5Med2.seq

12601	tgcacatataa	ttaatcttga	gctaaccattt	tgatatttaa	tcatagaaat	atatgaacac
12661	agaagcagtt	gttatgaaaa	aattatttat	ttctaactgc	tagccctacc	aatctccata
12721	aaaaaacctg	atTTTTatcc	actattaata	athtaagata	atTctatatt	taattaacct
12781	tgTTataaaa	aatagTatTT	taaaaaaaca	TTTTacatta	tataaaatat	atcaatcgac
12841	tctttatttc	tttatccatt	tataaaatat	atTTTTtacc	aaaataatat	ttaaatcata
12901	tatttatattt	acatcacggt	agatcaaaat	aacaattttt	tagtcgttaa	cccagattca
12961	gaacggcacg	atgatataata	agtcacatgg	gttgtaaata	aaggaaaaag	ataaaaaaga
13021	ggagataaat	cttcgcattt	cttcaatgaa	gatggatata	gatactgtaa	ggtagtaatt
13081	taaatgaaat	ccatttaacaa	attaatatTT	aattttacatt	aagagaggat	tctatgagtg
13141	attggactgg	tgTTTcaaca	tttaattgta	ttcttgaaac	aggattagat	aactgcaata
13201	tctacgctaa	tgggcttaac	atgattgggg	taattattaa	tatcacaccc	actgatgatg
13261	aagggaaact	cgtagatatt	gacgatgtta	cactaaatga	taacatcaag	attgttgatt
13321	atatcgatgg	aagcgacatt	gatggcagtg	acggatgggt	ttatacagga	aatcctaata
13381	aatacaacac	tattccaaat	agtcagtcct	attctttatt	aaagagttaa	aatctctcaa
13441	ttacgcaaat	taaacgatat	gtttcttggt	caaatacatc	caggctaaga	ccaagtctct
13501	tttctgcgaa	ggtaaccaact	accagtgga	aagttatttc	ataaactcaa	aatagcatta
13561	attcatctcg	ggtagtaatt	aatgcaatag	atgcaactaa	ttttactgat	gatgaacttc
13621	gaacaacaaa	agaaacaagg	tttgaaaaatc	aatcctatac	gtcacataaa	tcatctacaa
13681	actctttata	tgtgcatacg	tggacaatac	caagaagcct	aaaaactcaa	aatTggcggt
13741	gggaagatta	caataatggc	tggacttggt	cacaaagttg	ctactataaa	acaggagccg
13801	atggagatc	agagtcaacc	cgctgggttg	ccgctggttc	aatctttcca	ccaggaaatt
13861	atgatggcct	gtggctagat	aatgatatcg	cactaagttg	tatggcacac	aaaagctaca
13921	atgttgatac	tgttatcaat	caattgagtt	ttaccctgat	tataggttaa	ggtttcagct
13981	gggtttataa	tatatccgga	cttgatagag	ggcatgccgt	tattattatc	gaccagtagt
14041	gtaacaaata	tagaatatta	ttccatgccg	ggatgaaaa	ctcagatcct	tactgtctct
14101	catcaatagt	atattaaaaa	tagtgttacc	aatggtgtgg	tagcattttcc	ccaatacga
14161	acttgaccta	gtggctgtaa	ttataattta	ttttcacagc	cactttttaa	gtatacataa
14221	aattccttaa	gttattcagg	agaatcacca	tgagtgcaca	taagtagttt	taattcctaa
14281	ctaataattt	caccagcgct	gtcagtggtg	gcgttgaccc	tcgcacagga	ttatacaata
14341	tacaaattac	tttaggtcac	attgttggtg	acggtaactc	tgacactact	ctgectctta
14401	ccttaagcta	ttctcctctt	aacaaaacag	atattggatt	tggcatttgt	tttaattttg
14461	gattatcagt	ctacgcacaga	aaaaattctt	tattgtctct	ttctaccggt	gaaaattata
14521	aagtcacga	aaccgataaa	acagtaaaac	ttcagcaaaa	aaaaactcgac	aatTTacgct
14581	ttgaaaaaga	cctaaaagaa	aattgttatc	gtattataca	taaatccggt	gatattgaa
14641	tgTTaaactgg	tttcaataac	aatgcctttg	acctgaaagt	ccctaaaaaa	ctattaaacc
14701	ctgctggaca	tgtctatctat	attgattgga	atTTtgaggc	aaactcaacct	aggctaaatc
14761	gtatttatga	tgatctggat	ggcatgata	taccattatt	aaacctagaa	tatcaaggac
14821	taattaaaaa	gatattaaag	ctttccctg	ggcaaaagga	aggctaccgt	accgagctac
14881	gcTTtctaaa	cagacaattg	aacagcatcc	acaaactttag	cttggtgta	gaaaaccctc
14941	tcacttggtc	cttcggttat	acccctatag	gaaaaaatgg	tatttttggg	caatggataa
15001	caagtatgac	cgctcctgga	ggataaaaag	aaacgggtta	ttatagta	ataaatcagg
15061	ggcatcattt	cccccaatca	gccaatctac	cggtgttgcc	ctatgtcaca	ttatgaaagc
15121	aggTtctctg	agcaggacaa	cccgctatac	aagcagaata	ttcgtatacc	tctcataatt
15181	atgtcgggtg	gggatctaat	ggatatgga	ataataaatt	agataatctg	tatggattga
15241	tgacagaata	taattatggc	tctactgaat	cccgcagata	taagataaaa	gaaggccatg
15301	atcaaatagt	ccgtatagaa	gcacataca	ataattacca	tctgttaact	tccgaatgta
15361	agcaacaaaa	tggatatata	cagacaactg	agacagcata	ttatgctatt	attggccata
15421	atTTtgattc	tcagccctca	caattccagt	tgccaaaaac	caaaacagaa	actTggcgta
15481	gtgcagataa	cagctatcga	agtgaatta	ctgaaaccac	atTTgatgaa	agcggaacc
15541	ccctaaccac	agtaatacaa	gataagaaaa	cacaaaaaat	aatctcccc	tcaacgcatt
15601	gggaatacta	ccctccggct	ggggaggtcg	ataattgccc	accagaaccg	tatggattta
15661	ctcgtttcgt	aaaaaaaatc	atacaaaatc	cctatgactc	cgaattttaa	gatgatccgg
15721	agaaatttat	ccagtatcgt	tatagcctca	ttggcagtcg	gagtcagtgt	actTTaaaaa
15781	tagaagagcg	ccactacagt	gcaactcaac	ttctgaatag	tactctattt	caatataata
15841	cggtataaa	tgaacttggt	cgTTtattaa	aacaaactga	atgtacaaa	ggagaaaatg
15901	gaaaaactta	ttctgtcgtg	cataaaattta	cctatacaaa	acaggacgac	acgctgcaac
15961	agagccattc	cataaccacc	catgataatt	tcacaattca	ccgcagtcag	gttcgttccc
16021	gttataccgg	gcgtctggtt	tctgacacag	atactaaaga	cattgttaact	caaattgtcct
16081	atgacaaaat	gggtcgatta	ctcacacgca	cccttaattc	cggtaacaca	tatgccacaa
16141	ctctgacata	tgattatgaa	ctaaataatc	ttcaggatga	caatcgccct	ccgtttgtta
16201	ttaccaccac	ggatgtaaat	ggcaatcagc	ttcgcaatga	attcgacggt	gccggacggc
16261	atgtcagcca	atgcctgaaa	gactccgatg	gtgatggaaa	attctatacg	atacatacgc
16321	aacaatatga	tgaacaaggg	cgctcatcata	catctacata	ctccgactat	ctcacaaatg
16381	gaagacaaca	gacggatcct	gataaggtgc	atctgtctat	gtcaaaatcc	tatgataatt
16441	gggggcaaat	tgcgaacaca	cactggagtt	atgggggttc	agaaaaata	actgtagatc
16501	cgataaacatt	gacggccacc	aaacagttac	aaagcaatag	caataatgtg	caaacgggta
16561	aagaggttac	aacttatagc	ccaagtcaac	aacctataca	gattacgtta	tttgacgaag
16621	caggccattt	acagagttgt	cataccctga	ctcgggatgg	ctgggatagg	gttcgcaaa
16681	aaaccgatgc	aataggccaa	tgcaactattt	accaatatga	taactataac	cgactcatct
16741	aaataacgct	tctgtatggc	accatcgtaa	atcgcaata	tgcaaccctt	agtagtgata
16801	cgctgataac	agatatcga	gtgaatggaa	ttctcttggg	acagcaaacg	tttgacgggt
16861	tgagtcgatt	aacacaaagt	caagatgggg	gacgagtatg	ggcttatact	tattcggcag

Fig. 2(iii)

6/14

chr15ed2.seq

```

16921 gtaatgacca atgcccacat acagtaataa caccagatgg tcagttttatc cattatcaat
16981 atcagccaga attagatgat gcagttattac aagtagcatc aaatgaaatt actcagcagt
17041 tcagctataa cccagtcact ggggcattat taaaggcggg gccagaggga caaagcttga
17101 cccctatcta ttatccatcg ggaagactta agatggaaaa tatcaatgat atgaaaaaaa
17161 tgagttacct atggacactt aggggtctgg agaaccggtta cactgatctg actggaaaca
17221 tacagaaaat ttccgcgtgat acccatggca gggtagacaca aattaaagat tcgtcaataa
17281 agactactct aaattacgat gacctgaatc gccatattgg tagtcaagta acagatttag
17341 cgactgggtca tatgtttgaca acaacagtggt aatttgatgg cttaaaccga gaaattggac
17401 ggaaattgtg tgatagctca ggccatacgt tagatatcca gcagagctgg ctgaaacac
17461 agcaattagc aaatagaata gtgaaactga atggagttat gcagcgtaca gaacagttact
17521 cttacgattc ccgtaatagg ttgaaccaat ataaatgtga cggtagcgaa tgcccgcag
17581 acaaatatgg ccatagcata gtacacaaa attttactta tgatatctat ggcaatatca
17641 ccgcctgtca caccacattc gcagatggga cagaagacca tgctaccttc aaatttgcca
17701 acccaactga cccatgccaa ctgacagagg tacaccacac tcatccagat atgcccagata
17761 atatcaggct gaaatatgat aaggctggta gagtaataaa tatcactgat aacctaggaa
17821 atacggaaaa ctttacctac gatacattgg gcagattaca aaacgggtcaa ggtagtgttt
17881 atggttatga tccattaaat cgcttagtga gtcagaaaa agatacccta gatgtggagc
17941 tgtactatcg ggaaccatg ttggtcaatg aagtacgcaa tggagaaatg atccgtttat
18001 tacggacggg tgaacaata atcgcacagc aacgcgcac aaagtctgt ctaacaggaa
18061 cagatagcca acagagcgtg atattaacga gtgataaaca aaacttgtct caagaagcat
18121 atagtgcata tggaaagcat aaatctacag caaatgacgc ttctatctct ggctataatg
18181 gtgaacgcgc tgacccagtt agtggagtaa cacatttagg taatgggtac cgctcctatg
18241 atccaacatt aatgcgcttc catactccag atagcttaag ccccttgggt gctggaggga
18301 ttaatcccta ttctattgct ttaggagacc caattaatcg ctacagacct tctgggtcatt
18361 tgagttggca agcatggaca gggattggca tggggatcgc tggattactg ctgaccatag
18421 cgacaggtag aatggcaatt gcagcagcgg gaggtattgc ggcggcaatt gcttccacct
18481 ccacaactgc actggcattt ggggcactga gtgttacatc ggatataacg tctattgtta
18541 gcggtgcact ggaagatgct tcaccgaaag catcttctat actcggatgg gtttcaatgg
18601 gaatgggtgc tgccgggtta gctgaatcgg ccattaaagg tggcaccaaa cttgcgcac
18661 atctaggagc attcgcgtgag gacggggaaa acgccttact taaatcgact tccgaaagt
18721 ctagaataaa gtggggagtg acaagaagct tagatagaga aattgttcgc aatgaagaag
18781 gtcagggtat aaaagatcat agccgaggtt ataccgataa ctttatgggg aaaggagagc
18841 aggtctatatt agttcatgga gataaagatg gatttttgta tcatacagaa ggaacaaac
18901 ataattgaaa agggccatac actcgacata ctctgaaaca actcgttgat tatttgaaag
18961 acaataacat cgttgatctt acacaaggag gagacaaacc tgttcattta ttatcctgct
19021 atgaaaaaag cagcgggtgca gcagataaaa tggcaaaaata tatcaacagg atagttatcg
19081 cttattctaa taaaccaaca atatcacaa gattagccag aatagaaaga aaggactttt
19141 tcttaaaaag tactttaccat tcgtatgata cagggaagat catactggga agaacagaaa
19201 aaacagtgaa accaaaaact ttcgccccct aataaccttg caaaattcaa aggtactggc
19261 agaagtcata taaataaact tatgactggg taaatgaaat cagtattcaa acattaaaca
19321 ggaaggaaat ggtcatctta tcaaccgccc aataaaaaat tggggcggtt tattgaataa
19381 aattatttat taatcaggga atcactgcaa tccccgatga gcaaaatctt tctgctctaa
19441 tcccatcaag gccagaactg caaaaataact gcctgctccc gcaatcata cgccattaa
19501 gcgcagtagg gcgattgcca tattgccttg ttcccatgct ggcatacccc acatactgc
19561 caacagcacc ccgaccatac cagcaattgc caccaccaat ttaaacagga atatccccca
19621 tcccgcacaa ggcgtgaaaa tatcacgctt acgcagttgc caataaagca tactggcatt
19681 gaagcaggca gccagaccaa tagaaagcgc cagacctgca tgtttcaacg ggcacacgaa
19741 agcaaggttc atcaattggg tcagaatcaa ggtcgcgatc gcaattttta cgttctgttt
19801 gatattctga cgtgaataaa agcccgagc gagaaactta accacaatca accccatcaa
19861 gccaaaaacag taggcaatta acgcccgcgt agtcatctca gcatcaaaag cagaaaagt
19921 accatattga aataatgata ccgtcagagg ctccgcgaga ataccgagag caactgcaca
19981 aggcaacgcc agcaagaaac agagacgtag cccccaatcc atcagttttc gatattcttc
20041 gtgattacca ctggaaaaa acatttcgagc tgaaggcagc aaatcgctcc ctaacgccac
20101 acccagtaca ccagaaggca attccattaa acgatcagcg taatatcatc atgaacagaa
20161 gcctgaaacc agaaatgagg caaaaattgt attaatgatc aaggaaatct gcccgaccga
20221 tacaccaga attgcaggcc ccatttgacg gataacccgc catacggcac tgtcacggaa
20281 agaaatccgc ggcaatacca gcatgccgat ctttttcaga tgaggagct gataggccaa
20341 ttgcaaaacc cctccggcaa caacggccca acccagcgcc agcactggcg gattgcaata
20401 aggcagccaca aacaatgcaa aaatgatcat actgacattg agcagtgctg gagcaaaagc
20461 aggcacccgaa aagcggttcc atgtattaa g aattgcgcca gccaaagaa ccagcgaaat
20521 caaaaagata taaggaaacg taattctaag taaatcacgg gtaagacaa acttatccgg
20581 tgtatccgta aatcccgggc cagtacata gatgatccaa ggtgcagcaa ttacacctat
20641 cactgagacg atagccagaa tcaatgtcaa catacctgag atatatgcaa taaaggtacg
20701 tgttgettca tcccctgtgt gatttttgta ttccgcaaga ataggaacaa aagcttgcga
20761 aaaagcggcc tctgcaaaaga tacggcgtaa caggttaggt aatttaagg caacaaaaaa
20821 ggcacccgct gccattcctg caccaaatat acgagcaata atggcatcac gaataaagcc
20881 cagcacgcga gaaaacatcg tcatgaaact gaccgctgcc agtgatttca ataagttcat
20941 ggtattgttc taaagtgtga ttcttatgga attaagcata aaaatgtaaa gctatcccat
21001 caggcatcat aaaaatggca tataaagcaa tctggcgagg tagcagccgg tgtttaaagt
21061 ctacacagaa aaaaccctgt ctacattttc tatattacgc cccattagcc ttaccccgag
21121 attcataaac ccactttgct ccatgcatcg tcagttcaatg ccgtcagcac atgatcttgc
21181 caaacaccat ctatcattaa ataattcttg gcataacctt cctgctcaaa tcccaacttt

```

Fig. 2(iv)

SUBSTITUTE SHEET (RULE 26)

7/14

chrim5ed2.seq

21241	ttgagcaggt	tcccactacg	atgggttatgt	ggcatgtaat	tagccataat	ccgggtgcatt
21301	ctctgatagc	gctgcatata	gcggatcgca	ggttgcagcg	cttcatacat	caatccttgc
21361	ccttgcaatt	tctcagctaa	agaataacca	agataacaag	agtggaaacg	gccgcgtaca
21421	acattagtaa	aattcgccac	acccataaatt	tcacgctcat	cagagtccaa	taatacaaaa
21481	ttaaatgtcg	cattctgccc	ttgtaactca	gcgatatagt	tcaaccgatt	tgcccatcca
21541	gagggttgat	aaaaactgcc	gtcccctgtt	ggctcccatg	gcttcaggaa	atctttatct
21601	tctgaataat	actcagccaa	tcgataagca	tcacgttcat	ataccagacg	aaacaaccatc
21661	ctatccgtaa	taaatcgaa	tttggggcat	gcagaacgat	aaccaaaccat	gccttctcct
21721	gatatctgtc	ttgaaaaaat	tctggataat	ttatctctta	ttaaaattat	tgccatttac
21781	cctacgataa	aaaaatatca	tctataaccc	tctaccttaa	agatgagatt	agggtcagaa
21841	taataagaac	ttcatattta	attctctcat	attttagtgg	tgccgcaatgt	cgttggttct
21901	acaagcagct	agcttgggta	aatacttctc	gctatttgat	aatattatag	ttgttttagg
21961	ttttttgtgc	gtttttcccc	taatttcaat	tcgtttcgct	gaacaacttg	gctgggcccgc
22021	attgattggt	gggttcgctc	tggggcttcg	tcagcttggt	cagcaaggct	tggggatcct
22081	cgggtggcgc	atcgagacc	gatttggtgc	caagccgatg	attgttactg	gcattgtatt
22141	gcgagcactg	gggtttgtgc	tgatggcaat	ggcacatgag	ccatggatat	tgctgcttct
22201	ctgcgttcta	tcaggattgg	gaggaacatt	gtttgatccc	cccagagcgg	ctttggtcat
22261	taagttaacc	cgctcccatg	agcgagggcg	tttttattca	atcctgatga	tgaggagacg
22321	cgaggtgcc	gtgggtggcg	cactcatcgg	agctgggttg	tgcaaatatg	atttcaatat
22381	cgtctgctgg	attggtgcat	ccatttttgt	gctggccgca	ttatttaacg	cctgggtact
22441	gcctgcatac	cgatattcaa	caatccgtac	tcctatcaaa	gaaggcatga	tgccgggttat
22501	tagagatcgt	cgggtccctt	actatgtgct	gacattgacg	gggtattttg	tcctgtcagt
22561	acaagtgatg	ctgatgtttc	cgattattat	ccatgaaatt	accggcactc	ctactgccgt
22621	caaatggatg	tatgccattg	aaaccgctat	ctccctgaca	ttgctctatc	ccatgcacg
22681	ctggagtgaa	aaacatttcc	gactggagca	gcgcttgatg	gcgggcttat	ttttgatgag
22741	catctgcgatg	tttccgatcg	gctgggtcaa	tcaattacat	acactgtttg	gccgtgctttg
22801	cctgttttat	ttagggtttg	taacagccga	tctgtctcgt	gaacgctga	gtgcttcaat
22861	gtctgatcca	cgggcgcgtg	gcagttatat	gggatttagc	cgtctgggtt	tagctctagg
22921	tggtgcgata	ggttacaccc	gtggaggggtg	gctctatgat	actggccgtg	acttgaatat
22981	gccgcaatta	ccctggattt	tgctaggatt	gtctgggttg	attaccattt	atgctcttca
23041	tcgccaattc	aatcagaaga	aaattgatcc	tgtgatgctt	ggtagacatt	aatcctatta
23101	gaaatagtgt	aaaatctgcc	cattgaaat	aaaaaggagc	caatatgaaa	agatttttct
23161	taggggcagc	attagtgcgt	gtaggattag	tcagcggctg	tgatcaattt	aaagacttca
23221	gcatcaacga	aggtctgatg	aatgattatt	tgctcaaaaa	agtgcattat	cagaaaaaaa
23281	tcagcattcc	aggtatcgcg	aatgccaat	tcacgctggg	ggatttatcc	agccagatag
23341	gccgccagga	tcctgaaaaa	attgaactat	ccacgcaagc	aaaagttcaa	cttgcaacac
23401	tactgggtac	gattcagget	gatatgaaac	tcactatcaa	ggctaaaccc	gtatttgatg
23461	cagaaaaagg	cgctattttc	gtgaaagggc	tggaatcgt	agactaccag	acaacacccg
23521	aaaaagcagc	ggctccggtt	aaggcattga	ttccttatct	gaatacctct	ttgagttagt
23581	ttttcgatac	tcacccggtt	tatgttctga	atccagaaaa	aagcaaggcc	gaggcagcag
23641	cctcacaatt	cgctaaaaag	ttgaaaatta	aacccgggaa	gttagttatt	gggttgaccg
23701	ataaataatt	tttatcgtca	ttgaaataat	aagggcanaat	tattaatgga	taatttgcct
23761	ttttatttta	tcaattagtg	accgatacac	tcgctgtgtc	atggccttcg	gctgaactat
23821	tatcgtgaca	ctgtcactca	gattctaatt	catcacgcaa	tgccctgcaac	gcttcacgag
23881	tgacaatcgc	cagcgttcga	taaaaaaccac	tggttgcatg	ggcttcaact	ttaccgagga
23941	actgccacac	ccaaggcaaa	agatactcat	caaacaacgt	aatttgtgct	tggaattcat
24001	cttcagctgc	ctgatcttcc	agccatgaca	cagccagcaa	tagagagccg	aaactgatcg
24061	caggagtatc	agacagtggc	attccccgtt	ctgtcaaaaa	ctgacgtact	tcactttctt
24121	ctccgtccgt	ataatcagat	cgacaaacag	caacactcgc	cgattctcca	gtaaacagag
24181	cgtgataatc	ggctgccatc	actgacaatt	cactgttttg	ctgtaaacga	tcagaccatt
24241	catcctgttc	caaaggccat	gcttgtttta	gtttccccct	agcaatcatg	gtgattaaag
24301	gttgcaaaac	gggatcttgc	gggtgcgggt	taaacatgt	gcccaatag	cggcagacaa
24361	tagaaaaattc	gttcataact	tgattcaatc	ccaataaatt	atcaaatagc	gttattgtcc
24421	ctaatacgct	gccaatgctg	aaagcaactt	gttaatatgc	acgtacccta	tcgacgaggc
24481	cagttggcat	ttcaccctgt	accatccgcc	ggatatcttc	acagatgaca	ttcatcgacg
24541	cctcaggaat	agtgttagca	gcaatatggg	gagtcacatt	aatacgaggg	tgagtccaga
24601	atgggtgcat	atttgacaat	ggttcttcgg	caaacacatc	aagggttgct	cctgcgatat
24661	aacctttatc	aatagcaacg	agcagatcct	gttcgacaag	ctgcgctcct	cgcgcagat
24721	taatacacata	tgaacccgat	tttagttggc	tgaataatga	cagattaagg	ataccacgag
24781	tgctgggag	atcagggaga	aggttaatca	gcaccttgca	gccagaaaga	aaatcaccca
24841	attgctcttt	accgtaaaaa	ctttcgacac	tatcgagttg	ttttgacgtc	ctgctccaac
24901	aacgcacatt	aaaatcaaat	tccatttaatt	tcccaatcac	acttcgccct	aatattccgg
24961	ccccaaaaac	gccgataaca	aattcttttc	ggttatgcgg	agcaataggg	ttccaaaggg
25021	gctgttcttg	gtatcgttta	tattcatcca	tgccggcgaa	ataatgcagc	actgaggtaa
25081	tggcatattc	ctgcatctgc	cttccccatc	ctgtatcttc	gagggcgatc	aatggaaact
25141	cagccagtaa	cgtaccggga	ttttctgatt	cttgtttgaa	aatcgcatcg	accgccgac
25201	ccagtgcgaa	tatgcctttt	agcccttgac	gattggctaa	catttcataa	gggtgctgcc
25261	aaactaatgc	atagtctgcg	ggctcttgat	caccactgac	ccattgcctc	actttggcat
25321	caggcgagcg	tgccctgaatt	ccttgaatcc	actcatcggt	attaaaggaa	gggtgaaata
25381	aaataatggt	catacaatct	tattccttat	tggttttttg	ataggggtta	cctattgcta
25441	aaatggttgc	aagcctctgc	tggaaagcga	ggaatgaaaa	tattaataat	gttaccaggt
25501	taacatatct	accactgcat	attacaaaaa	gcgcatcgcc	tttagtaaat	gactatcgaa

Fig. 2(v)

8/14

chrim5ed2.seq

```

25561 tattcaaatt gttttttatt tgtgtaatca gtcaaaaagc ctgaaaaaat cgtcataagc
25621 ctgttgacgc ctgccttgcct tttccctata gtagcgcccc gttgcagcga cgaactcaag
25681 tgatatcgct acaacaacaa aatacgggtga ggtgtccgag aggctgaagg agcacgcctg
25741 gaaagtgtgt atacgtgaaa acgtatcgag ggttcgaacc cctctctcac cgccatattc
25801 taagaaagag cctgaacaca atactaaggc ttttttggg ttactcttga tagagcattg
25861 aatctataat ttagtaaccc ttgcggaaaa tccctgacag gacgaccgca gaaacaaaac
25921 acggtgaggt gtccgagagg ctgaaggagc acgctggaa agtgtgtata cgtgaaaacg
25981 tatcgagggt tcgaaccctt ctctcaccgc catctttcaa gagaaagcct gaacttatgt
26041 tcaggctttt tcgcatttat actcccaaaa gtatagggtga aaaacctcgc aagggttcac
26101 ctcaacaacc tgctctaatt ggaatgtctt aaagatttgt ggcttaatta caccttgttc
26161 tagcctaatt caaaggacat acccgaataa tatgaccatc gggatcttca gcaaggaaag
26221 tacgggcaaaa aacttcggtt tggggttcct gtactatttt gatctcaggg tcttttcgcc
26281 attcttcaaa gcaccgatca acatctttac cggatggcag cataatacca atttcagaaa
26341 atcgcgggaat agcacgatca ggctttgtct ctccactcca aatagcaaac agtacttcac
26401 caccagcagg aaatgccaca taacgggagc tggcaaatat cggttcagca ttgaaaattg
26461 ttttataaaa agcgggtgaa ctctcgatat cagagacgta aacaagctga agattggggt
26521 tgggagatac tgtctcaacg acagatttca gccttaatac gctttcaacc agatcttgcg
26581 taccttgctt aaagaaactt tcggcctgaa cagcgggaat atttgcatca ggttcaaatg
26641 aaacgggtcac ctgaacacga cagcccatat tgttttcac tgtaataatt tgatgtcgga
26701 atgttaatat tcccatttga ggaaggttaa cctgatcggg gaattcttta ttcacttcga
26761 tatttgaaag ataaaaacga atttcgggca ttccacttaa tatcattctg cgtatttgac
26821 ccgttttgac ctcccttcca aattgaaaat attcaagatc gacttcccat tttttccgca
26881 aatcaaaatc gacatagtgc gccagatat gggatgggtt agcgtttacc gatgtagaaa
26941 aattgaggtg taacatgaca aaactctcac agttaaatgt atcacattga agattaagcg
27001 agctttttaa tacagtagaa cagcccgcag agtatcaatg gtgagtgaac atttctgtca
27061 gtagtcttta tttggctaac gagaaatttt ttccattgct ctccattctt tgagcaatac
27121 ttgccttgaa cgggggtaac attggttttc aattttcaaa cgcatgattc tatctgatct
27181 gaaatgacga aattcctcgc gtaattcaca ccattccaatc acaatgctga tattttcaaa
27241 atagcctaag gcaaatggcc atattgttct ttctgatggg atgtctttta tatccaaata
27301 agcggagggtg attttatgcc gggatttgat cgctgacgt atctgctgaa tctcgacaac
27361 aggtggaaca gctgtcgagc caggcccgat cagtaaggag cttgcctcca acatttgttt
27421 caattctgct gggatcacag ccgcaatttt gcttattgca ttatttgagc attcttttag
27481 ttgggggtct gcacgtttag ccaccaat cgcgcccaat gccaacgcct ctatttcatt
27541 ttgtgtaaac atgagcgggtg gtaacacaaa tccaggcctc aaaacgtatc ctattcccg
27601 ctacacttcg ataactcgcg cttgagcctg caacgatgca atatcccgat acagtgttct
27661 taagctgata ttcaatttct gcgccaacac ttttccctga accggaaagt gataacggcg
27721 caatatttcc atgagaaata acaaacgctg tgctctagac aattcgtccc atccattcaa
27781 gttaaccgac tcatcaacct ctaataatac gcaactatca taatttaatt gattaaaaag
27841 atagtttttt gatcccttgt acaagatcat tgttatctga ttgccctttt agatttttta
27901 ttttattaat aatgctgata aattgacctc taaaggactt agagaaaaat gaccatatac
27961 gatttaaaac cccgtttcca aaacttactg cgtcctatcg taatttatct gtataacaa
28021 gggatcacgg caaatcagggt cactttaacc gcgctgttcc tgtcaatctt tgccggttca
28081 ctattgagcc tatttccctc gccccacctc tattgggtgc tgctgtttt tcttttcatt
28141 cgcattgctc tgaatgccat tgatggcatg ctggcagcgg aacataacca gaaagtctcat
28201 ctgggcgcta tttataatga attgggggat gtcatttctg atgttgccct ctacctcccc
28261 ttctgccttt tacctgatgt gaacagcctc agcctgttga ttattttatt cctcacatac
28321 ttgaccgaat tcatcgcgct actggcaca acgattgggt catcacggcg ctatgacggc
28381 ccgataggaa aaagtgacgg tgctttttatc ttccggagctt atggattgat tattgcgatt
28441 ttccctttgg ccttgggctg gagtatctct ttgtttgctt tcatgatcat ttactcttgg
28501 gtgacttgct atcagcgcgt tgttaaagcc ttacgtgaaa tccggctggc tgaacagtca
28561 cactccaaat gaggcggtta catgacacca caactcgatc aacgtattgc tgaagaacat
28621 tatttcacca catcagataa tgcttctctg tttaccgtt actggccaca acaacaggcc
28681 aatccagaca gagcgatcat tatttttcac cgtggctcatg agcactcagg acgtatccag
28741 catgtcgttg acggactcga tctgcctgat gttcctatgt tcgcgtggga tgcccgtgga
28801 cagcgtaaga cagaagggcc gcgcgggttac agcccatcca tgggaacgtc gattcgtgat
28861 gttgatgaat ttgtcagatt tattgccact cagtacggca tcgccatgga aaatatcgtg
28921 gttatcgccc agagtgtcgg agcggatta gtctctgctt gggtagacga ctatgcgcca
28981 aaaaatccgc ccatgatcct cgagcacccc gcatttgata ttaaattgta tatccctttt
29041 gccacgcagg gactgcaatt gatgcaaaaa gcacgaggtt ttttcttctg gaattcctat
29101 gtgaaagcca gatattctgac tcacgatgaa acccgaattg cctcttataa tagcgatccg
29161 ttgattaccc gggaaatcgc cgtcaatatt ctcttgatc tttacaaaac cgcgagcgga
29221 gtagttaaag atgcccgcgc cattacacta cctaccctgt tgtttatttc aggcagcgat
29281 tatgtagtga acaaaaaacc acagcatcag ttttatcagc agctaataac ccctatcaaa
29341 gaaaaacatg tgatggatgg cttctaccac gatacgttgg gtgaaaaaga tcgccatctg
29401 gtttttgaca aaatccgggt ttttattgag cgcatttttg cacttccgcg ttatcagcac
29461 gattacagcc aagaagatac ctggagtcac tctgccgatg aatttcgaac attaaagaca
29521 tcattaccgt gtcgtgtctc taagaaactc agctatcaat tgatgcgtaa ggtaatgagt
29581 actcactggg gcagaacttc cgagggtgtc tgcacgggtc tcaaaacggg gtttgattcc
29641 ggctccacat tagattatgt ctaccgcaac caaccggagg gtaaggggcat tttggggcga
29701 atactcgata agcattattt gaacagcatt ggttggcggc gtatacgcca gcgcaagatc
29761 catattgaaa tgttgatccg ccatgctatt cgcagctcac gtgaacagaa tatgcctgtg
29821 catatgggtg atatcgccgc cggacacgga cgctatatcc ttgacgcaat caacgatttc

```

Fig. 2(vi)

9/14

chr15ed2.seq

29881	agcaaagtcg	attctatctt	gttaagggac	tatagcgaaa	tcaatgttaa	tcaagggcag
29941	gcttatattg	aggagcgcca	tctgacggac	aaaattcgtt	ttattatcgg	tgatgccttt
30001	aatgctgaaa	gcattctcat	cattacgccca	gcgccgacac	tgggtattgt	atccgggtctc
30061	tatgaattgt	tccctgataa	taatttactc	agaaattcgc	tacggcggtt	tgctgatgtt
30121	atgacagaaa	atgggtatct	gggtgacacc	ggccaaccgt	ggcatccaca	aattgaggtc
30181	atcgcccgtg	ttctttccag	ccatcgtgac	agtcaaccgt	ggatcatgcg	gcgcggtact
30241	caaggggaaa	tggaagcatt	agtggaaagg	gccgggtttg	aaaaactgta	ccaactgaca
30301	gataactggg	gcattttcac	tgtttcgatt	gccaaagcgt	ttcatcgcgt	atgaataaat
30361	aaataataaga	tggaacacca	catgcactct	tctctcgata	gtcgtcggtg	cctatggctg
30421	acaggtgtta	tctggctatt	gtttctggct	ccgtttttct	ttcttactta	tgcccgagtc
30481	aatcagttca	cggcacaagg	aagcagatgt	ggcactgtga	tgttcggttg	ggacataaac
30541	atcccttttt	ggtcatggtc	gattatccct	tactggagta	tgcgtctgtt	ctacggaata
30601	tcgttattta	tctgtaccca	tcgccgtgaa	cagtggtctc	acggctggcg	attaatgacc
30661	gcatactga	ttgctgtgtg	tggtattctta	ctgttccctc	tgaatttttc	gttctccgcg
30721	cccaccacag	aaggcctatt	tggtctgtta	tttaatacaac	tgaggtattt	tgatctgccc
30781	tataatcaag	ccccttccct	gcacattatt	ctgctgtggt	tgctctgggt	gcgctattca
30841	gcctacgtga	gtgggttactg	gcgtgggttg	ctgcacattt	ggtcagtgct	gattgcactc
30901	tcggttctga	cgacttggca	gcacattttt	atcgatgtac	taacgggttt	tgccgttgggt
30961	gtcatcctca	gttactact	gccggtttca	taccgctggc	gctggcaacc	taatacaagt
31021	cgctatgcac	ggaaagtatt	cgctatttat	ctgacaggca	gcgctttggt	cgctcttata
31081	gcgagtctgc	tggtggggag	tttctggata	ctgctgtggc	ctgctgtatc	gttactgatg
31141	atcgactgg	gtacgcagg	attaggcagc	tccgtgtttc	aaaaacagcc	agatggccgg
31201	atgtcactgt	ctgcacgctg	gctactggcg	ccataccaac	tggtgagcatg	gctctcttat
31261	ctctgtgttc	ggcgtaaaag	cgacaccttc	aacctataaa	ctgaagggat	tattctcggtc
31321	agcctgcctt	gccagccgtt	tacggcggtc	agtgtccttg	atataaccgc	tgagtggcac
31381	aggcgatcgg	atgcccgcac	agtaaatatt	gtttgcccgc	cgaaatcga	cttactcgcc
31441	ctggcaccctg	aagctctaca	atcggcagtt	tgtagcgtgg	ataaactacg	ccagcaggga
31501	gatgttttcg	ttcattgtac	gcttggaactg	tcacgcagtg	cgatggtggt	agcagcatgg
31561	ctactgaaac	agcatcctga	atatgatata	aacactgtcg	tagcaatcct	gcgtaaagcc
31621	agaccgcgat	tcacgttctag	acaaacacat	ctggatgccc	tgctctaatg	ggcaaaaggc
31681	tacataatac	gggaacata	acatgcagcc	ggaaaatctg	atcagcaaat	tgattatcgc
31741	aacgttaaaa	agctggcgct	ttatatccac	actatctgct	ttttctatcc	tgatcgcgac
31801	tgcaatgtcg	attgtctgtct	tcaacactac	cgctttaaac	aacattgcat	tctatgcggt
31861	actattatct	acaaagctgt	actgcccaata	ctattgttgg	cgacttggc	tttctccca
31921	ctattttcag	atcctcaatt	catcccctga	aaaaagcgcc	gagttcgatc	aaacgttatt
31981	gctgatattt	aacaagttaac	cccaatcacg	gacacagaat	gatcgcttta	acggagcaat
32041	caaaactgta	aaaaaggtta	cgattggtct	gatcctgcaa	tgataactgt	tttctctgtt
32101	tctgcttact	ttgaaatatt	cagcctgaat	tcagctttaa	tctgacaaag	tcagaacgta
32161	acgatgtctac	atcttctcga	ctgtactact	attaaactaac	ttttagacct	gtaacacctt
32221	tattgggtga	taaaagagat	actcttacct	attctttttc	agcccgtcat	cgcgacgctt
32281	tatttttttg	ttttagatta	aatgaatact	cgtaaaatta	atgggatacg	cccatttagt
32341	gcgtttattg	actcatgtct	gaaggaaact	tactctttcc	cccgttttat	cagagatata
32401	atcgctggga	ttaccgtggg	tggtatcgct	atcccattgg	caatggctct	ggcgataggga
32461	agcggagttg	caccacagta	tggtctgtat	actgccgcta	tcgccggcat	tgatcatgcc
32521	atgaccggag	gctcacgtta	tagcgtttcc	ggcccaacgg	cggtttttgt	gggtatcctt
32581	tatcctgttt	cacagcagtt	tggtttgagc	ggcctgtcca	ttgcgacgct	gatgtcaggt
32641	gtgattttga	ttgtgatggg	attggcagct	tttgccggcg	ttatcgaaata	tattcctatg
32701	tctgttacct	ttggatttac	ttccggtatt	gccatcacta	tcgctaccat	gcaggtgcaa
32761	aatttctttg	gcctgaaact	ggcacatata	ccggaaaatt	atattgataa	ggtagttgca
32821	ctttatcaag	ccctgccttc	attacaattg	agtgtacgc	ttatcggtct	gactacgctt
32881	ctgggtactga	ttttctggcc	gaaactggga	gtaaagttaac	cggttcactt	acccgctttg
32941	atcgcggtta	cagctgttat	gggcgcaatg	catctgctga	accatgatgt	cgccaccatt
33001	ggttcacgtg	ttagtacac	actggcggtg	ggtacgcagg	gtcaaggcat	ccccccatt
33061	cttcccacat	ttgtcctgcc	gtggaatttg	cccgatcacac	attctctcga	tattagctgg
33121	aataccgtat	cggcattgct	gcccgtctcg	ttttcgatgg	ccatgctggg	tgcgattgaa
33181	tcgttactgt	gtgcagtgat	tctggatggt	atgacaggga	aaaaacacca	ttctaacggt
33241	gagctgtctg	gccaggggtt	gggcaatatt	gccgcccctt	tctttggtgg	cattaccgcc
33301	actgcggcta	tcgcccgttc	agccgccaat	gtgcgggcag	gtgcaacttc	cccgatagcc
33361	gctgtgtgtg	attccctgct	ggtattatta	acattgtctg	ttttggtctc	gatgctctct
33421	tattttaccac	tggtggcaat	gtcagccatt	ctgctgattg	tcgctgtgaa	tatgagcgag
33481	gcacataagg	tagtggattt	aatacgccat	gcgcctaaag	atgacattat	tgctatgctt
33541	ttgtgtctgt	cattgactgt	cctattcgat	atggtccgtc	gcgatcacta	tcggcattgt
33601	gctggcatca	ctcctgttta	tgcgcaaat	tgccaatatg	actogaatca	gcacgtcabc
33661	tttaacaagc	gcggagaaag	ggttattggt	cgtaacgaat	aacggccctt	tattcttcgc
33721	tgccgcccga	cgtatttttg	ccgaactgag	agaaaaagt	gctgattatc	aaaccatcat
33781	catgcagtg	gatgccgtac	ccgttttgga	cgtggtggga	ttacacgctt	ttcaggggtt
33841	gtgctgcgaa	cttgccaaag	aaaaacatat	cgtcgtatgt	gatattccct	tcagccatt
33901	gaaaacgctg	gcaagagcca	aagttatgcc	gattgaagga	gagctgagtt	tttatgctac
33961	cttaccacag	gcactaaaag	agatggcag	tgattacacg	cctgaggtgt	gtgcttcttc
34021	agaaaagatt	caaggtcagt	aacaacaagt	cacctctgc	cagttatgct	ggcagagggg
34081	gactaataga	agactagctg	aggaatttat	ttgctgggtat	ccagttccgg	gaaatttttc
34141	accacgtcat	caatcgcttt	aatttgcata	aggaatgact	ccagttttgc	caatggcaaa

Fig. 2(vii)



10/14

chr5ed2.seq


```

34201 gcagacgggc catcacattt ggcattttct ggatctgggt gcgcttcaag gaacagacct
34261 gcgatcccca cagccatacc cgcacgagcc agttcagcaa cctgcgcgcg acggccaccg
34321 gaagctgcac ctaatgggtc gcggcactgt aatgcatgag tgacgtcgaa aatgaccggc
34381 gcaccttggg tagcttgttg catgacaccg aagcccagca tgtcaaccac cagattgtca
34441 taaccaaagt tgctgccacg gtcacacagg atcacctggg cattgccgcg ttctttgaat
34501 ttttcaacaa tattgcccat ttgccagggg ctaacaaact gtgggttttt aacattaatc
34561 acagcaccgg ttttcgcat cgcttcaacc agatcgggtc ggccgggcaag gaaggctgga
34621 agctgaatca catccaccac atccgcgact ggttgagcct gtgcaggctc atgcacgtca
34681 gtgataattt tcacgcccga ggtttgtttc agttcctgaa agattttcat cccctcttcc
34741 agccctggcc cagcataaga gcggatagaa gaacgggttag ccttatcaaa agacgcttta
34801 aaaaataaag gaatgcccag tttttgtgtc acggtgacat agtgctcaca aatccgcatg
34861 gccaaatccc gtgattcaag gacgttcatt ccaccaaaac atacaaatgg cagatcattt
34921 gcgaccttga tatcaccaat attaacact ttctgttgca tgcttatata ttctctgtt
34981 aaggggcaaat aaatttgctg tatcaataaa aaaataaacc taatgcagga caatcaaccg
35041 ctgttctatg gtgttaattt gcatttttat catttctgag attgggtcct caggggcaatg
35101 ttcgacaaaa taactcaaat ccgaaacagc aatatgattg cagtcgagct gggcatagat
35161 aagccccgga tcgcggattt catagggatc atcgggatca aacgtcagca ccacttcgct
35221 ggctttaagc gccagttcca tctttttctc ttccatcaga gaaacttga tgggtgtcagt
35281 gattttgctg acgaggctga cattatcgcc ttccgtgcaa tcctgttttt tcagacgaac
35341 agttgggcca atattacctt ttaaccagac atccagcgta tgttcattca cgtatcccc
35401 attcaaggga ttaatgaacc aagtgggtg atcaagcaaa tcaatccgca atatcagttg
35461 gattggaat atgacaggct gtaccgacag cccagcgcc tgagcaatat gcgtaaacac
35521 cgtacccaat gatacaggtg agccttgacg tgaatggagt aagcgatcca gccacagggt
35581 atctgataga caatacacc ctaggtctcc accaaacttc cattcccgat aaaaaagtgt
35641 tagcagcgaa tccaatttca ctttggaatc ggtaatggag gaaagcctct gccgggcttc
35701 ctcaaccaat gcagttagct gctcactcac cagagtctga ggaaatcag ggcgataat
35761 ttttgatacc agaataatac cgtcaatcag gggagtatta ttgaattcac aattactat
35821 gggtttctat ttatttccat cgacctatcg tgatgcgttc attaccgcca taatctgaa
35881 aagtgcctat ctgttgataa ccttctctta aaaataggtt tctgacaacg gttccctgtt
35941 tccagccatg ttccagcaat agccatccat ttggtgacag gaaatggcgc gcctgtccca
36001 caattgcctg caaatccgcc atgccatttt gtgcagcgat caatgcagt gctggtcaa
36061 acctgatata ccttctctgt agataggat cagcgtcatc tatatacgga ggattgtga
36121 caatcataat aaattgttgg ttaccactg ctgcaaaacca ctactttgc aaaaaattca
36181 cattgtgaat ggccagtttt ccggcgtttt ttccagcatt gtgtgtgtgc agcatcacgg
36241 catcagagtt gatatcgacc cctgtcacat aacaatcatt ccgctcactt gccaatgcc
36301 gtgcaatcgc ccccgctccc gtcccagat ccagaatccg ggctggagaa tcaggcaata
36361 attccaatgc cttctccacc agacattcag tatcagggcg cgggatcaac gtcgctggcg
36421 atacggcaaa cggcagtgac cagaattccc gttaccaat aatataagct accggctctc
36481 cctgaatgcg gcgcaccagc aggtatcaa gctgatcaa ttcttccgat gagattagcg
36541 tttcatcgaa agcaatcaga taagtacggg aacgcctgt cactatccc aacaagattt
36601 ccgcatcacg cttagggctg tcaatttcag acaactgggt agccgcatgt ttagccagc
36661 attggtaatt cattaatcct gctctgacag tgacagagct tgatctgcct gatattcgat
36721 aatgatcgcc tgaataagca tatccagttt gccttctatc acttcatcaa ggcggtataa
36781 cgtcagattg attcgggtg cagtcacacg cccctgtggg aagttatagg tcgggttgcg
36841 atctgagcgg tcaccagaac ccagcaaat tcggcggtca gaggcttcca cttcttggcg
36901 cttccgcatc tcagcagcac ggatacgcgc tgccaatacg gacatcgctt ttgctttgtt
36961 tttgtgctgg gaacgctcat cctgacattc cactacgata cccgttggga gatgggtaat
37021 tcgaatcgca gaatcgggtg tattgacgtg ctgccccccc gcaccggaag agcgaaacgt
37081 atctattttc aaatcaccgg ggctgatgtc cggtaattca gcttctggaa tttctggcat
37141 gacagccaca gtacaggcag aagtgtgaat gcgcccctga gattccgttt ccggtacacg
37201 ctggacacga tgaccgcctg attcaaatat caagtaccca taaacctgat caccgaaac
37261 tttggcaatc acttctttgt agccaccatg ctgcctctcg ttggcgctta taatctctac
37321 tctccagcgg cgggcttccg catagcggct atacatcgcg aacaaatctc ccgcaaatat
37381 cgggcttcca tcgccaccgg ttccgtcccg gacttcaagg aaacagttgc gctcatcatc
37441 cggatctttc ggcaacagca gtacgtgtag ctgctgttcc agctcttcat tacgaatttt
37501 tgctctcttg agctcttctc gcgccatttc ccgcatctcg acca

```

Fig. 2(viii)

11/14



**chrom5ed2.seq (37544 bps)** **Fig. 3**

12/14




Fig. 4

13/14




Fig. 4(cont'd)

14/14




Fig. 5

# INTERNATIONAL SEARCH REPORT

Int. Application No  
PCT/GB 00/00219

<b>A. CLASSIFICATION OF SUBJECT MATTER</b> IPC 7 A01N63/00 A01N63/02 C12N15/31 C12P21/00 C07K14/24 //(C12P21/00,C12R1:01)		
According to International Patent Classification (IPC) or to both national classification and IPC		
<b>B. FIELDS SEARCHED</b> Minimum documentation searched (classification system followed by classification symbols) IPC 7 A01N		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)		
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	WO 99 22598 A (UNIV READING ;ELAWAD SAMI ABULRAHAMAN (GB); HAGUE NIGEL GRAHAM MA) 14 May 1999 (1999-05-14) cited in the application page 1 -page 2 page 4, line 7 - line 14 page 5, line 2 - line 8 page 5, line 25 - line 28 page 8, line 1 - line 15; claims 1-3,9,10,14; example 5 --- -/-	1-9,11, 29
<input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.		
* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family		
Date of the actual completion of the international search  16 May 2000		Date of mailing of the international search report  13/06/2000
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3018		Authorized officer  Muellners, W

# INTERNATIONAL SEARCH REPORT

Int. Application No  
PCT/GB 00/00219

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	<p>DATABASE BIOSIS 'Online! BIOSCIENCES INFORMATION SERVICE, PHILADELPHIA, PA, US AN 2000:109497, GREWAL, PARWINDER S. (1) ET AL: "Allelopathy: A possible mechanism of suppression of plant-parasitic nematodes by entomopathogenic nematodes." retrieved from STN XP002136524 abstract &amp; NEMATOLOGY, (NOV., 1999) VOL. 1, NO. 7-8, PP. 735-743. ,</p>	1-9,11, 29
X,P	<p>DATABASE BIOSIS 'Online! BIOSCIENCES INFORMATION SERVICE, PHILADELPHIA, PA, US AN 2000:109391, HAN, RICHOU ET AL: "Trans - specific nematicidal activity of Photorhabdus luminescens." retrieved from STN XP002136525 abstract &amp; NEMATOLOGY, (NOV., 1999) VOL. 1, NO. 7-8, PP. 687-693. ,</p>	1-9,11, 29
X,P	<p>CHEMICAL ABSTRACTS, vol. 132, Columbus, Ohio, US; abstract no. 163304, HU, KAIJI ET AL: "Nematicidal metabolites produced by Photorhabdus luminescens (Enterobacteriaceae), bacterial symbiont of entomopathogenic nematodes" XP002136522 abstract &amp; NEMATOLOGY (1999), 1(5), 457-469 ,</p>	1-9,11, 29
X,P	<p>WO 99 42589 A (NOVARTIS ERFINDUNGEN VERWALTUN ;NOVARTIS AG (CH); KRAMER VANCE CAR) 26 August 1999 (1999-08-26) cited in the application page 1 -page 2, paragraph 3; claims</p>	12-18
X	<p>CHEMICAL ABSTRACTS, vol. 126, Columbus, Ohio, US; abstract no. 234686, GEORGIS, R. ET AL: "Novel pesticidal substances from the entomopathogenic nematode-bacterium complex" XP002136523 abstract &amp; ACS SYMP. SER. (1997), 658(PHYTOCHEMICALS FOR PEST CONTROL), 134-143 ,</p>	1-9,11, 29

# INTERNATIONAL SEARCH REPORT

Int. onal Application No  
PCT/GB 00/00219

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	K. HU ET AL.: "Mortality of Plant-Parastic Nematodes Caused by Bacterial (Xenorhabdus spp. and Photorhabdus Luminescens) Culture Media" JOURNAL OF NEMATOLOGY, vol. 27, no. 4, December 1995 (1995-12), XP000905673 the whole document	1-9,11, 29
X	WO 98 08388 A (MORGAN JAMES ALUN WYNNE ;JARRETT PAUL (GB); ELLIS DEBORAH JUNE (GB) 5 March 1998 (1998-03-05) cited in the application page 1, line 4 - line 9 page 6, line 21 -page 9, line 9 page 11, line 10 -page 12, line 19; claims 17,18,21,23-25,29	6-9, 11-30
X	PATENT ABSTRACTS OF JAPAN vol. 013, no. 286 (C-613), 29 June 1989 (1989-06-29) -& JP 01 080294 A (SUMITOMO CHEM CO LTD;OTHERS: 01), 27 March 1989 (1989-03-27) abstract; figures 2-1	12-18
A	WO 92 19739 A (MYCOGEN CORP) 12 November 1992 (1992-11-12) cited in the application	1-30
X	page 1 -page 2, line 32; claims	12-18



## INTERNATIONAL SEARCH REPORT

International application No.

PCT/GB 00/00219

### **B x I** Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
  
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
  
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

### **Box II** Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

# INTERNATIONAL SEARCH REPORT

(information on patent family members)

Int. Application No

PCT/GB 00/00219

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9922598 A	14-05-1999	AU 9753098 A	24-05-1999
WO 9942589 A	26-08-1999	AU 3028699 A	06-09-1999
WO 9808388 A	05-03-1998	AU 4024997 A	19-03-1998
		CN 1233938 A	03-11-1999
		EP 0923295 A	23-06-1999
		ZA 9707373 A	15-02-1999
JP 01080294 A	27-03-1989	JP 2117839 C	06-12-1996
		JP 8017707 B	28-02-1996
WO 9219739 A	12-11-1992	AU 667041 B	07-03-1996
		AU 2025292 A	21-12-1992
		AU 656726 B	16-02-1995
		AU 7826491 A	12-12-1991
		BR 9205969 A	26-07-1994
		CA 2042868 A	12-12-1991
		EP 0462721 A	27-12-1991
		EP 0517367 A	09-12-1992
		HU 62928 A	28-06-1993
		JP 4229170 A	18-08-1992
		NZ 242560 A	26-01-1994
		PL 290626 A	24-02-1992
		US 5439881 A	08-08-1995
		US 5753492 A	19-05-1998
		ZA 9203168 A	27-01-1993